ELSEVIER

Applied Surface Science 212–213 (2003) I–XIII

applied surface science

www.elsevier.com/locate/apsusc

Author Index

Abe, T., see Kashiwaba, Y. 212–213 (2003) 162
Acker, J., see Bracco, G. 212–213 (2003) 151
Ackermann, J., C. Videlot, P. Raynal, A. El Kassmi and P. Dumas, Effect of end-substitution of hexyl chains on the growth and electrical properties of quaterthiophene thin films 212–213 (2003) 26
Ackermann, J., C. Videlot, T.N. Nguyen, L. Wang, P.M. Sarro, D. Crawley, K. Nikolić and M. Forshaw, Micro-patterning of self-supporting layers with conducting polymer wires for 3D-chip interconnection applications 212–213 (2003) 411
Ade, H., see Lucovsky, G. 212–213 (2003) 563
Akahane, T., see Narita, Y. 212–213 (2003) 730
Akahane, T., see Yasui, K. 212–213 (2003) 619
Åkermark, B., see von Schenck, H. 212–213 (2003) 508
Androulakis, J., see Grigorescu, C.E.A. 212–213 (2003) 78
Aoyagi, S., see Kawashima, Y. 212–213 (2003) 804
Appel, G., see Lucovsky, G. 212–213 (2003) 563
Arakawa, T., see Shimaoka, G. 212–213 (2003) 694
Arayama, T., see Yasui, K. 212–213 (2003) 619
Arnault, J.C., S. Pecoraro, F. Le Normand and J. Werckmann, Comparison of classical and BEN nucleation studied on thinned Si (1 1 1) samples: a HRTEM study 212–213 (2003) 912
Arwin, H., see Wronkowska, A.A. 212–213 (2003) 110
Asensio, M.C., see Izquierdo, M. 212–213 (2003) 67
Asensio, M.C., see Pérez-Dieste, V. 212–213 (2003) 235
Asensio, M.C., see Roca, L. 212–213 (2003) 62
Assmus, W., see Suchodolskis, A. 212–213 (2003) 485
Atenco-Analco, N., F. Pérez-Rodríguez and N.M. Makarov, Surface-induced broadening and shift of exciton resonances in the thin film regime 212–213 (2003) 782
Aufray, B., J. Bernardini, H. Dallaporta, G. Le Lay and P. Soukiassian, Preface 212–213 (2003) 3
Aufray, B., see Oughaddou, H. 212–213 (2003) 291
Autran, J.L., see Houssa, M. 212–213 (2003) 749
Avila, J., see Izquierdo, M. 212–213 (2003) 67
Avila, J., see Pérez-Dieste, V. 212–213 (2003) 235
Avila, J., see Roca, L. 212–213 (2003) 62
Azuma, Y., see Nakamura, T. 212–213 (2003) 515

Baca, D., see Ould-Metidji, Y. 212–213 (2003) 614
Bader, G., see Truong, V.-V. 212–213 (2003) 140
Bae, C., and G. Lucovsky, Oxide formation and passivation for micro- and nanoelectronic devices 212–213 (2003) 644
Baek, Y.-G., see Honda, S.-i. 212–213 (2003) 378
Baillet, F., see Pons, M. 212–213 (2003) 177
Barbaroto, P.R., I. Doi and L.O.S. Ferreira, Si–LiG process for inductive meso systems 212–213 (2003) 406
Barborini, E., see Magnano, E. 212–213 (2003) 879
Barrett, N., see Oughaddou, H. 212–213 (2003) 291
Battaglini, N., H. Klein, Ph. Dumas, C. Moustrou and A. Samat, Scanning tunneling microscopy of locally derivatized self-assembled organic monolayers 212–213 (2003) 481
Baudot, G., S. Rohart, V. Repain, H. Ellmer, Y. Girard and S. Rousset, Temperature dependence of ordered cobalt nanodots growth on Au(7 8 8) 212–213 (2003) 360
Baumvol, I.J.R., see Krug, C. 212–213 (2003) 556
Baumvol, I.J.R., see Radtke, C. 212–213 (2003) 570
Bechstedt, F., A. Fissel, J. Furthmüller, U. Kaiser, H.-Ch. Weissker and W. Wesch, Quantum structures in SiC 212–213 (2003) 820
Belley, R., see Truong, V.-V. 212–213 (2003) 140
Bencok, P., see Hricovini, K. 212–213 (2003) 17
Bendounan, A., H. Cercellier, Y. Fagot-Revurat, B. Kierren, V. Yu Yurov and D. Malterre, Interplay between surface and electronic structures in epitaxial Ag ultra thin films on Cu(111) 212–213 (2003) 33
Benito, I., see Kampen, T.U. 212–213 (2003) 850
Berges, U., see Schürmann, M. 212–213 (2003) 131
Bernardinello, P., see Narducci, D. 212–213 (2003) 491
Bernardini, J., see Aufray, B. 212–213 (2003) 3
Bernardini, J., see Liébault, J. 212–213 (2003) 809
Bernardini, J., see Nyéki, J. 212–213 (2003) 244
Bernardini, J., see Oughaddou, H. 212–213 (2003) 291
Bertoni, G., C. Cepek and M. Sancrotti, Temperature-dependent interaction of C_{60} with Ge(1 1 1)-c(2 × 8) 212–213 (2003) 52
Bertoni, G., see Padovani, M. 212–213 (2003) 213
Beszeda, I., I.A. Szabó and E.G. Gontier-Moya, Auger electron spectroscopy determination of surface self-diffusion coefficients from growth of voids in thin deposited films 212–213 (2003) 787
Betti, M.G., see Gavioli, L. 212–213 (2003) 47

doi:10.1016/S0169-4332(03)00668-8

Bibérian, J.P., see Oughaddou, H. 212–213 (2003) 291
Bideux, L., see Gruzza, B. 212–213 (2003) 667
Bideux, L., see Ould-Metidji, Y. 212–213 (2003) 614
Bideux, L., see Petit, M. 212–213 (2003) 601
Biely, C., see Flückiger, T. 212–213 (2003) 43
Billon, Th., see Pons, M. 212–213 (2003) 177
Bisio, F., G. Gonella, M. Canepa, S. Terreni and L. Mattera, Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect 212–213 (2003) 166
Bisio, F., see Moroni, R. 212–213 (2003) 224
Blanco, J.M., see Kampen, T.U. 212–213 (2003) 850
Blanquet, E., see Pons, M. 212–213 (2003) 177
Bonamy, D., see Célarié, F. 212–213 (2003) 92
Bonnet, J., see Dongmo, H. 212–213 (2003) 607
Boragno, C., see Pedemonte, L. 212–213 (2003) 344
Borgatti, F., see Finetti, P. 212–213 (2003) 85
Bouchaud, E., see Célarié, F. 212–213 (2003) 92
Bourgeois, S., see Chiaramonte, T. 212–213 (2003) 661
Bourgoin, J.P., see Patrone, L. 212–213 (2003) 446
Bracco, G., see Narducci, D. 212–213 (2003) 649
Bracco, G., see Pedemonte, L. 212–213 (2003) 344
Bracco, G., see Pedemonte, L. 212–213 (2003) 595
Bracco, G., Y. Hu, J. Acker and M.D. Ward, Study of the (0 0 1) cleavage planes of guanidinium methanesulfonate single crystals by AFM and He diffraction 212–213 (2003) 151
Braun, W., see Evans, D.A. 212–213 (2003) 417
Braun, W., see Kampen, T.U. 212–213 (2003) 850
Brochier, R., see Hricovini, K. 212–213 (2003) 17
Bruguier, G., see Dongmo, H. 212–213 (2003) 607
Buatier de Mongeot, F., see Pedemonte, L. 212–213 (2003) 344
Bukaluk, A., see Wronkowska, A.A. 212–213 (2003) 110
Bulgakov, A.V., see Ozerov, I. 212–213 (2003) 349
Bureau, C., see Viel, P. 212–213 (2003) 792
Busch, I., and J. Stümpel, Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering 212–213 (2003) 201

Cabailh, G., see Evans, D.A. 212–213 (2003) 417
Cafolla, A.A., see Guaino, Ph. 212–213 (2003) 537
Casanove, M.-J., see Chiaramonte, T. 212–213 (2003) 661
Camassel, J., and A. Tiberj, Strain effects in device processing of silicon-on-insulator materials 212–213 (2003) 742
Canepa, M., see Bisio, F. 212–213 (2003) 166
Cardoso, L.P., see Chiaramonte, T. 212–213 (2003) 661
Carlotti, J.F., see Dongmo, H. 212–213 (2003) 607
Carraro, C., see Robert Ashurst, W. 212–213 (2003) 735
Carrier, P., Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana, Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices 212–213 (2003) 826
Carty, D., see Guaino, Ph. 212–213 (2003) 537
Čechavičius, B., see Suchodolskis, A. 212–213 (2003) 485
Célarié, F., S. Prades, D. Bonamy, A. Dickelé, E. Bouchaud, C. Guillot and C. Marlière, Surface fracture of glassy materials as detected by *real-time* atomic force microscopy (AFM) experiments 212–213 (2003) 92
Cepek, C., see Bertoni, G. 212–213 (2003) 52
Cepek, C., see Giovanelli, L. 212–213 (2003) 57
Cepek, C., see Magnano, E. 212–213 (2003) 879
Cercellier, H., see Bendounan, A. 212–213 (2003) 33
Chang, K.-H., see Shao, L.-X. 212–213 (2003) 305
Chassaing, E., see Plumier, F. 212–213 (2003) 271
Chaussende, D., see Pons, M. 212–213 (2003) 177
Chayahara, A., see Tsubouchi, N. 212–213 (2003) 920
Chen, L.J., see Chiang, T.F. 212–213 (2003) 339
Chen, L.J., see He, J.H. 212–213 (2003) 325
Chen, L.J., see Lu, H.T. 212–213 (2003) 204
Cheng, S.L., see Chiang, T.F. 212–213 (2003) 339
Cheng, S.L., see He, J.H. 212–213 (2003) 325
Chiang, T.F., W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen, Autocorrelation function analysis of crystallization in amorphous SiGe thin films 212–213 (2003) 339
Chiaramonte, T., L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove, Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0)TiO_2 substrates 212–213 (2003) 661
Chizmeshya, A.V.G., see Roucka, R. 212–213 (2003) 872
Cho, D.-C., see Mori, T. 212–213 (2003) 458
Chou, L.J., see He, J.H. 212–213 (2003) 325
Chou, L.J., see Lu, H.T. 212–213 (2003) 204
Chueh, Y.L., see He, J.H. 212–213 (2003) 325
Chueh, Y.L., see Lu, H.T. 212–213 (2003) 204
Chung, S., see Kang, T.-H. 212–213 (2003) 630
Clark, R.G., see Oberbeck, L. 212–213 (2003) 319
Cohen, S.D., see Schroll, R.D. 212–213 (2003) 219
Conde-Gallardo, A., M. García-Rocha, R. Palomino-Merino, M.P. Velásquez-Quesada and I. Hernández-Calderón, Photoluminescence properties of Tb^{3+} and Eu^{3+} ions hosted in TiO_2 matrix 212–213 (2003) 583
Couturier, N., see Laffineur, F. 212–213 (2003) 452
Crawley, D., see Ackermann, J. 212–213 (2003) 411
Creemers, C., see Helfensteyn, S. 212–213 (2003) 844
Creemers, C., see Luyten, J. 212–213 (2003) 833
Crozier, P.A., see Roucka, R. 212–213 (2003) 872
Curson, N.J., see Oberbeck, L. 212–213 (2003) 319

da Rosa, E.B.O., see Krug, C. 212–213 (2003) 556
D'Addato, S., see Finetti, P. 212–213 (2003) 85
Dallaporta, H., see Aufray, B. 212–213 (2003) 3
Dalmas, J., see Suchodolskis, A. 212–213 (2003) 485
Das, A., G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn, Influence of substrate surfaces on the growth of organic films 212–213 (2003) 433
Das, A., see George, V.C. 212–213 (2003) 287
Díaz-Arencibia, P., see Prutskij, T.A. 212–213 (2003) 230
de Boer, M.P., see Robert Ashurst, W. 212–213 (2003) 735

De Padova, P., P. Perfetti, C. Quaresima, C. Richter, M. Zerrouki, O. Heckmann, V. Ilakovac and K. Hricovini, Surface states resonance on In-terminated InAs(0 0 1)4 × 2-c(8 × 2) clean surface 212–213 (2003) 10
De Padova, P., see Hricovini, K. 212–213 (2003) 17
Delhalle, J., see Laffineur, F. 212–213 (2003) 452
Delhalle, J., see Mekhalif, Z. 212–213 (2003) 472
Delhalle, J., see Philippin, G. 212–213 (2003) 530
Delhalle, J., see Plumier, F. 212–213 (2003) 271
Delhalle, J., see Sinapi, F. 212–213 (2003) 464
Descours, F., see Viel, P. 212–213 (2003) 792
Desmaison, J., see Jonnard, P. 212–213 (2003) 674
Dhanak, V., see Evans, D.A. 212–213 (2003) 417
Dharma-wardana, M.W.C., see Carrier, P. 212–213 (2003) 826
Di Coccio, L., see Pons, M. 212–213 (2003) 177
Dickelé, A., see Célarié, F. 212–213 (2003) 92
Diniz, J.A., see Pereira, M.A. 212–213 (2003) 388
Doi, I., see Barbaroto, P.R. 212–213 (2003) 406
Doi, I., see Pereira, M.A. 212–213 (2003) 388
Dongmo, H., J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot, Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method 212–213 (2003) 607
Downes, A., and P. Dumas, Chemical analysis and optical properties of metallic nanoclusters 212–213 (2003) 770
Dreesen, L., see Humbert, C. 212–213 (2003) 797
Dreiner, S., see Schürmann, M. 212–213 (2003) 131
Dua, A.K., see George, V.C. 212–213 (2003) 287
Dumas, P., see Ackermann, J. 212–213 (2003) 26
Dumas, P., see Downes, A. 212–213 (2003) 770
Dumas, Ph., see Battaglini, N. 212–213 (2003) 481

Einstein, T.L., see Hyldgaard, P. 212–213 (2003) 856
Einstein, T.L., see Schroll, R.D. 212–213 (2003) 219
Eizenberg, M., see Kohn, A. 212–213 (2003) 367
El Kassmi, A., see Ackermann, J. 212–213 (2003) 26
Ellmer, H., see Baudot, G. 212–213 (2003) 360
Erbudak, M., see Flückiger, T. 212–213 (2003) 43
Erdélyi, G., see Nyéki, J. 212–213 (2003) 244
Evans, D.A., H.J. Steiner, A.R. Vearey-Roberts, V. Dhanak, G. Cabailh, S. O'Brien, I.T. McGovern, W. Braun, T.U. Kampen, S. Park and D.R.T. Zahn, Perylenes and phthalocyanines on GaAs(0 0 1) surfaces 212–213 (2003) 417

Fabreguette, F., see Chiaramonte, T. 212–213 (2003) 661
Fagot-Revurat, Y., see Bendounan, A. 212–213 (2003) 33
Fann, S.-S., Y.-L. Jiang and H.-L. Hwang, An innovative a-Si:H p-i-n based X-ray medical image detector for low dosage and long exposure applications 212–213 (2003) 765
Faure, C., see Pons, M. 212–213 (2003) 177
Felici, R., see Finetti, P. 212–213 (2003) 85
Ferrari, L., see Giovanelli, L. 212–213 (2003) 57
Ferreira, L.O.S., see Barbaroto, P.R. 212–213 (2003) 406
Ferret, P., see Pons, M. 212–213 (2003) 177
Feuillet, G., see Pons, M. 212–213 (2003) 177
Feyaerts, L., see Helfensteyn, S. 212–213 (2003) 844
Finetti, P., F. Borgatti, R. Felici, R. Gunnella and S. D'Addato, Structure properties of nanostructured Fe films grown on $c(2 \times 2)$ N/Cu(1 0 0) self-organised surface 212–213 (2003) 85
Firszt, F., see Wronkowska, A.A. 212–213 (2003) 110
Fissel, A., see Bechstedt, F. 212–213 (2003) 820
Floreano, L., see Giovanelli, L. 212–213 (2003) 57
Flores, F., see Kampen, T.U. 212–213 (2003) 850
Flores, F., see Szűcs, B. 212–213 (2003) 861
Flores-Desirena, B., and F. Pérez-Rodríguez, Optical manifestation of magnetoexcitons in near-surface quantum wells 212–213 (2003) 127
Flückiger, T., T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak, Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni 212–213 (2003) 43
Fong, W.K., see Leung, B.H. 212–213 (2003) 897
Forget, L., see Sinapi, F. 212–213 (2003) 464
Forshaw, M., see Ackermann, J. 212–213 (2003) 411
Fotakis, C., see Grigorescu, C.E.A. 212–213 (2003) 78
Franta, D., I. Ohlídal, M. Frumar and J. Jedelský, Expression of the optical constants of chalcogenide thin films using the new parameterization dispersion model 212–213 (2003) 116
Frauenheim, Th., see Szűcs, B. 212–213 (2003) 861
Freire Jr., F.L., see Krug, C. 212–213 (2003) 556
Friedrich, M., see Kampen, T.U. 212–213 (2003) 501
Friedrich, M., see Pham, G. 212–213 (2003) 542
Frumar, M., see Franta, D. 212–213 (2003) 116
Fujimoto, H., see Sato, N. 212–213 (2003) 438
Fujimoto, K., see Hayashi, N. 212–213 (2003) 393
Fujiu, M., see Takahashi, K. 212–213 (2003) 193
Fukuda, Y., T. Kobayashi, T. Shirai, N. Kadotani and M. Shimomura, Adsorption and decomposition of *t*-butylphosphine (TBP) on an InP(0 0 1)–(2×4)/$c(2 \times 8)$ surface studied by STM, TPD, and HREELS 212–213 (2003) 329
Fukutani, K., see Kawashima, Y. 212–213 (2003) 804
Fulton, C.C., see Lucovsky, G. 212–213 (2003) 563
Furthmüller, J., see Bechstedt, F. 212–213 (2003) 820
Furukawa, Y., see Gruznev, D. 212–213 (2003) 135

Ganem, J.-J., see Radtke, C. 212–213 (2003) 570
García-Rocha, M., see Conde-Gallardo, A. 212–213 (2003) 583
Garreau, G., S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri, $c(4 \times 8)$ periodicity in ultrathin iron silicides on Si(1 1 1) 212–213 (2003) 711
Gasiot, J., see Dongmo, H. 212–213 (2003) 607
Gavioli, L., M. Padovani, E. Spiller, M. Sancrotti and M.G. Betti, Potassium assembled on the InAs(1 1 0) surface: from nanowires to two-dimensional layers 212–213 (2003) 47
Gavioli, L., see Padovani, M. 212–213 (2003) 213

Gebremariam, H., see Schroll, R.D. 212–213 (2003) 219
Gelamo, R.V., see Chiaramonte, T. 212–213 (2003) 661
George, V.C., A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn, Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane 212–213 (2003) 287
Geurts, J., see Wagner, V. 212–213 (2003) 520
Geurts, J., see Wagner, V. 212–213 (2003) 901
Giapintzakis, J., see Grigorescu, C.E.A. 212–213 (2003) 78
Gilles, B., see Meunier, A. 212–213 (2003) 171
Giovanelli, L., C. Cepek, L. Floreano, E. Magnano, M. Sancrotti, R. Gotter, A. Morgante, A. Verdini, A. Pesci, L. Ferrari and M. Pedio, Molecular orientation of C_{60} on Pt(111) determined by X-ray photoelectron diffraction 212–213 (2003) 57
Giovanelli, L., see Suchodolskis, A. 212–213 (2003) 485
Girard, Y., see Baudot, G. 212–213 (2003) 360
Girardeaux, C., see Nyéki, J. 212–213 (2003) 244
Girardeaux, C., see Oughaddou, H. 212–213 (2003) 291
Gonella, G., see Bisio, F. 212–213 (2003) 166
Gontier-Moya, E.G., see Beszeda, I. 212–213 (2003) 787
González, C., see Kampen, T.U. 212–213 (2003) 850
González, C., see Szűcs, B. 212–213 (2003) 861
Göthelid, M., see Szamota Leandersson, K. 212–213 (2003) 589
Göthelid, M., see Suchodolskis, A. 212–213 (2003) 485
Göthelid, M., see von Schenck, H. 212–213 (2003) 508
Gotter, R., see Giovanelli, L. 212–213 (2003) 57
Granozzi, G., see Petukhov, M. 212–213 (2003) 264
Grigorescu, C.E.A., S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis, Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb 212–213 (2003) 78
Gruznev, D., B.V. Rao, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama, Atomic structure and formation process of the Si(1 1 1)–Sb($\sqrt{7} \times \sqrt{7}$) surface phase 212–213 (2003) 135
Gruzza, B., C. Robert and L. Bideux, EPES applied to the study of gold/alumina interfaces 212–213 (2003) 667
Gruzza, B., see Ould-Metidji, Y. 212–213 (2003) 614
Gruzza, B., see Petit, M. 212–213 (2003) 601
Gu, D.G., see Izquierdo, M. 212–213 (2003) 67
Gu, G.D., see Roca, L. 212–213 (2003) 62
Guaino, Ph., D. Carty, G. Hughes, P. Moriarty and A.A. Cafolla, Scanning tunneling microscopy study of pentacene adsorption on Ag/Si(1 1 1)-($\sqrt{3} \times \sqrt{3}$)R30° 212–213 (2003) 537
Guasch, C., see Dongmo, H. 212–213 (2003) 607
Guesmi, H., see Lapena, L. 212–213 (2003) 715
Guillot, C., see Célarié, F. 212–213 (2003) 92
Gundel, S., see Wagner, V. 212–213 (2003) 901
Gunnella, R., see Finetti, P. 212–213 (2003) 85
Haché, A., see Truong, V.-V. 212–213 (2003) 140
Hajjar, S., see Garreau, G. 212–213 (2003) 711
Hajnal, Z., see Szűcs, B. 212–213 (2003) 861
Hallam, T., see Oberbeck, L. 212–213 (2003) 319
Hamada, K., see Kawashima, Y. 212–213 (2003) 804
Hansen, L., see Wagner, V. 212–213 (2003) 901
Hasegawa, H., III–V nanoelectronics and related surface/interface issues 212–213 (2003) 311
Hasegawa, H., see Ishikawa, F. 212–213 (2003) 885
Hatanaka, Y., see Nakanishi, Y. 212–213 (2003) 815
Hatanaka, Y., see Ogita, M. 212–213 (2003) 397
Hattori, T., K. Takahashi, M.B. Seman, H. Nohira, K. Hirose, N. Kamakura, Y. Takata, S. Shin and K. Kobayashi, Chemical and electronic structure of SiO_2/Si interfacial transition layer 212–213 (2003) 547
Hayashi, N., S.-i. Honda, K. Tsuji, K.-Y. Lee, T. Ikuno, K. Fujimoto, S. Ohkura, M. Katayama, K. Oura and T. Hirao, Highly aligned carbon nanotube arrays fabricated by bias sputtering 212–213 (2003) 393
He, J.H., W.W. Wu, H.H. Lin, S.L. Cheng, Y.L. Chueh, L.J. Chou and L.J. Chen, Structural evolution in Ge^+ implantation amorphous Si 212–213 (2003) 325
Heckmann, O., see De Padova, P. 212–213 (2003) 10
Heckmann, O., see Hricovini, K. 212–213 (2003) 17
Helfensteyn, S., J. Luyten, L. Feyaerts and C. Creemers, Modelling surface phenomena in Pd–Ni alloys 212–213 (2003) 844
Helfensteyn, S., see Luyten, J. 212–213 (2003) 833
Helldén, S., see von Schenck, H. 212–213 (2003) 508
Hernández-Calderón, I., see Conde-Gallardo, A. 212–213 (2003) 583
Heyns, M.M., see Houssa, M. 212–213 (2003) 749
Hidalgo, H., see Jonnard, P. 212–213 (2003) 674
Himcinschi, C., see Kampen, T.U. 212–213 (2003) 501
Hirai, H., see Tanemura, S. 212–213 (2003) 279
Hirao, T., see Hayashi, N. 212–213 (2003) 393
Hirao, T., see Honda, S.-i. 212–213 (2003) 378
Hirao, T., see Kamada, K. 212–213 (2003) 383
Hirose, K., see Hattori, T. 212–213 (2003) 547
Hishida, T., see Nakahara, H. 212–213 (2003) 157
Holliger, P., see Jarrige, I. 212–213 (2003) 689
Honda, S., see Kamada, K. 212–213 (2003) 383
Honda, S.-i., see Hayashi, N. 212–213 (2003) 393
Honda, S.-i., Y.-G. Baek, T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao, SiC nanofibers grown by high power microwave plasma chemical vapor deposition 212–213 (2003) 378
Horino, Y., see Tsubouchi, N. 212–213 (2003) 920
Hosoi, Y., Y. Niwa, Y. Sakurai, H. Ishii, Y. Ouchi and K. Seki, IRRAS and LEED studies of films of the long chain *n*-alkane *n*-$C_{44}H_{90}$ on Cu(1 0 0) and Cu(1 1 0) 212–213 (2003) 441
Houssa, M., J.L. Autran, M.M. Heyns and A. Stesmans, Model for defect generation at the (1 0 0)Si/SiO_2 interface

during electron injection in MOS structures 212–213 (2003) 749
Hoyer, W., see Das, A. 212–213 (2003) 433
Hradil, K., see Wronkowska, A.A. 212–213 (2003) 110
Hricovini, K., P. De Padova, C. Quaresima, P. Perfetti, R. Brochier, C. Richter, V. Ilakovac, O. Heckmann, L. Lechevallier, P. Bencok, P. Le Fevre and C. Teodorescu, Atomic structure and magnetic properties of Mn on InAs(1 0 0) 212–213 (2003) 17
Hricovini, K., see De Padova, P. 212–213 (2003) 10
Hsiao, H.L., A.B. Yang and H.L. Hwang, Direct observation of localized unoccupied states by synchrotron radiation two-color resonant photoemission 212–213 (2003) 73
Hu, Y., see Bracco, G. 212–213 (2003) 151
Hughes, G., see Guaino, Ph. 212–213 (2003) 537
Humbert, C., L. Dreesen, S. Nihonyanagi, T. Masuda, T. Kondo, A.A. Mani, K. Uosaki, P.A. Thiry and A. Peremans, Probing a molecular electronic transition by two-colour sum-frequency generation spectroscopy 212–213 (2003) 797
Hung, W.H., see Liu, S.H. 212–213 (2003) 907
Hwang, C.-C., see Kang, T.-H. 212–213 (2003) 630
Hwang, C.-C., see Kim, K.-J. 212–213 (2003) 625
Hwang, H.-L., see Fann, S.-S. 212–213 (2003) 765
Hwang, H.L., see Hsiao, H.L. 212–213 (2003) 73
Hwang, H.L., see Liu, S.H. 212–213 (2003) 907
Hwang, H.L., see Pei, Z. 212–213 (2003) 760
Hwang, H.-L., see Shao, L.-X. 212–213 (2003) 305
Hwang, J.M., see Liu, S.H. 212–213 (2003) 907
Hwang, Z.H., see Liu, S.H. 212–213 (2003) 907
Hyldgaard, P., and T.L. Einstein, Surface-state mediated three-adsorbate interaction: exact and numerical results and simple asymptotic expression 212–213 (2003) 856

Ichimiya, A., see Nakahara, H. 212–213 (2003) 157
Ichimiya, A., see Nakahara, H. 212–213 (2003) 334
Ihm, K., see Kang, T.-H. 212–213 (2003) 630
Ihm, K., see Kim, K.-J. 212–213 (2003) 625
Iizumi, K.-i., see Kiguchi, M. 212–213 (2003) 101
Ikari, T., T. Kojima, K. Yamada, M. Naitoh and S. Nishigaki, A metastable-induced electron spectroscopy study on the process of oxygen adsorption at a Ni(1 1 0) surface 212–213 (2003) 579
Ikuno, T., see Hayashi, N. 212–213 (2003) 393
Ikuno, T., see Honda, S.-i. 212–213 (2003) 378
Ikuno, T., see Kamada, K. 212–213 (2003) 383
Ilakovac, V., see De Padova, P. 212–213 (2003) 10
Ilakovac, V., see Hricovini, K. 212–213 (2003) 17
Imhoff, L., see Chiaramonte, T. 212–213 (2003) 661
Imhoff, M., see Garreau, G. 212–213 (2003) 711
Inubushi, T., see Narita, Y. 212–213 (2003) 730
Ishii, H., see Hosoi, Y. 212–213 (2003) 441
Ishikawa, F., and H. Hasegawa, Cathodoluminescence in-depth spectroscopy study of AlGaN/GaN heterostructures 212–213 (2003) 885
Itou, S., see Okado, H. 212–213 (2003) 575
Iwasawa, K., see Nakamura, T. 212–213 (2003) 515
Izquierdo, M., L. Roca, D.G. Gu, J. Avila and M.C. Asensio, Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin? 212–213 (2003) 67
Izquierdo, M., see Pérez-Dieste, V. 212–213 (2003) 235
Izquierdo, M., see Roca, L. 212–213 (2003) 62

Jarrige, I., P. Jonnard, P. Holliger and T.P. Nguyen, Spectroscopic studies of TM/Si and TM/SiO_2 interfaces 212–213 (2003) 689
Jedelský, J., see Franta, D. 212–213 (2003) 116
Jeon, C., see Kang, T.-H. 212–213 (2003) 630
Jeon, C., see Kim, K.-J. 212–213 (2003) 625
Jiang, Y.-L., see Fann, S.-S. 212–213 (2003) 765
Jin, P., L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura, Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror 212–213 (2003) 775
Jin, P., see Miao, L. 212–213 (2003) 255
Jin, P., see Mori, Y. 212–213 (2003) 38
Jin, P., see Tanemura, S. 212–213 (2003) 279
Jin, P., see Tanemura, S. 212–213 (2003) 654
Jin, P., see Tazawa, M. 212–213 (2003) 402
Jonnard, P., J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant, Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition 212–213 (2003) 674
Jonnard, P., see Jarrige, I. 212–213 (2003) 689
Jurczyszyn, L., see Kampen, T.U. 212–213 (2003) 850

Kadotani, N., see Fukuda, Y. 212–213 (2003) 329
Kaiser, U., see Bechstedt, F. 212–213 (2003) 820
Kamada, K., T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura, Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst 212–213 (2003) 383
Kamakura, N., see Hattori, T. 212–213 (2003) 547
Kamizono, M., see Kamada, K. 212–213 (2003) 383
Kampen, T.U., D.R.T. Zahn, W. Braun, C. González, I. Benito, J. Ortega, L. Jurczyszyn, J.M. Blanco, R. Pérez and F. Flores, Surface properties of chalcogen passivated GaAs(1 0 0) 212–213 (2003) 850
Kampen, T.U., G. Salvan, A. Paraian, C. Himcinschi, A.Yu. Kobitski, M. Friedrich and D.R.T. Zahn, Orientation of perylene derivatives on semiconductor surfaces 212–213 (2003) 501
Kampen, T.U., see Das, A. 212–213 (2003) 433
Kampen, T.U., see Evans, D.A. 212–213 (2003) 417
Kampen, T.U., see Kobitski, A.Yu. 212–213 (2003) 428

Kampen, T.U., see Pham, G. 212–213 (2003) 542
Kampen, T.U., see Thurzo, I. 212–213 (2003) 753
Kampen, T.U., see Zahn, D.R.T. 212–213 (2003) 423
Kanaya, T., M. Sakuraba and J. Murota, W delta doping in Si(1 0 0) using ultraclean low-pressure CVD 212–213 (2003) 684
Kaneko, K., see Miao, L. 212–213 (2003) 255
Kaneko, K., see Mori, Y. 212–213 (2003) 38
Kaneko, K., see Tanemura, S. 212–213 (2003) 279
Kaneko, K., see Tanemura, S. 212–213 (2003) 654
Kang, T.-H., K. Ihm, C.-C. Hwang, C. Jeon, K.-j. Kim, J.-Y. Kim, M.-K. Lee, H.-J. Shin, B. Kim, S. Chung and C.-Y. Park, Direct image observation of the initial forming of passive thin film on stainless steel surface by PEEM 212–213 (2003) 630
Kang, T.-H., see Kim, K.-J. 212–213 (2003) 625
Karlsson, U.O., see Szamota Leandersson, K. 212–213 (2003) 589
Karlsson, U.O., see Suchodolskis, A. 212–213 (2003) 485
Karpus, V., see Suchodolskis, A. 212–213 (2003) 485
Kasai, H., see Nakanishi, H. 212–213 (2003) 829
Kashiwaba, Y., J. Sato and T. Abe, Emission of lights of various colors from p-CdS:Cu/n-CdS thin-film diodes 212–213 (2003) 162
Katayama, M., see Hayashi, N. 212–213 (2003) 393
Katayama, M., see Honda, S.-i. 212–213 (2003) 378
Katayama, M., see Kamada, K. 212–213 (2003) 383
Katayama, M., see Kiguchi, M. 212–213 (2003) 701
Katayama, M., see Okado, H. 212–213 (2003) 575
Kawashima, Y., Z. Liu, K. Terashima, K. Hamada, K. Fukutani, M. Wilde, S. Aoyagi and M. Kudo, SIMS characterization of hydrogen transport through SiO_2 by low-temperature hydrogen annealing 212–213 (2003) 804
Kera, S., see Nakamura, T. 212–213 (2003) 515
Keschawarz, R., see Grigorescu, C.E.A. 212–213 (2003) 78
Kierren, B., see Bendounan, A. 212–213 (2003) 33
Kiguchi, M., K.-i. Iizumi, K. Saiki and A. Koma, Atomic and electronic structures of heteroepitaxial C_{60} film grown on Ni(1 1 1), Cu(1 1 1) 212–213 (2003) 101
Kiguchi, M., M. Katayama, G. Yoshikawa, K. Saiki and A. Koma, Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure 212–213 (2003) 701
Kihn, Y., see Chiaramonte, T. 212–213 (2003) 661
Kim, B., see Kang, T.-H. 212–213 (2003) 630
Kim, B., see Kim, K.-J. 212–213 (2003) 625
Kim, J.-Y., see Kang, T.-H. 212–213 (2003) 630
Kim, K.-J., K. Ihm, C. Jeon, C.-C. Hwang, T.-H. Kang and B. Kim, Initial oxynitridation of a Si(1 0 0) 2×1 surface by the annealing and low energy nitrogen ion exposure 212–213 (2003) 625
Kim, K.-j., see Kang, T.-H. 212–213 (2003) 630
Kimura, K., see Nakanishi, Y. 212–213 (2003) 815
Kinomura, A., see Tsubouchi, N. 212–213 (2003) 920
Kishi, T., see Nakanishi, H. 212–213 (2003) 829
Klein, H., see Battaglini, N. 212–213 (2003) 481
Klini, A., see Grigorescu, C.E.A. 212–213 (2003) 78
Kobayashi, K., see Hattori, T. 212–213 (2003) 547
Kobayashi, K., see Ogita, M. 212–213 (2003) 397
Kobayashi, T., see Fukuda, Y. 212–213 (2003) 329
Kobitski, A.Yu., R. Scholz, G. Salvan, T.U. Kampen, H.P. Wagner and D.R.T. Zahn, Time-resolved photoluminescence study of excitons in thin PTCDA films at various temperatures 212–213 (2003) 428
Kobitski, A.Yu., see Kampen, T.U. 212–213 (2003) 501
Koguchi, N., see Ohtake, A. 212–213 (2003) 146
Kohara, H., see Honda, S.-i. 212–213 (2003) 378
Kohn, A., M. Eizenberg and Y. Shacham-Diamand, The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}$-$W_{0.02}P_{0.08}$ diffusion barriers for copper metallization 212–213 (2003) 367
Koide, S., see Mori, Y. 212–213 (2003) 38
Koide, S., see Tanemura, S. 212–213 (2003) 279
Kojima, T., see Ikari, T. 212–213 (2003) 579
Koma, A., see Kiguchi, M. 212–213 (2003) 101
Koma, A., see Kiguchi, M. 212–213 (2003) 701
Kominami, H., see Nakanishi, Y. 212–213 (2003) 815
Komolov, A.S., and P.J. Møller, Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces 212–213 (2003) 497
Komori, F., see Nakanishi, H. 212–213 (2003) 829
Kondo, T., see Humbert, C. 212–213 (2003) 797
König, D., see Thurzo, I. 212–213 (2003) 753
Kosel, T., see Prutskij, T.A. 212–213 (2003) 230
Kouvetakis, J., see Roucka, R. 212–213 (2003) 872
Krug, C., F.C. Stedile, C. Radtke, E.B.O. da Rosa, J. Morais, F.L. Freire Jr. and I.J.R. Baumvol, Characterization by ion beams of surfaces and interfaces of alternative materials for future microelectronic devices 212–213 (2003) 556
Kubo, O., see Okado, H. 212–213 (2003) 575
Kudo, M., see Kawashima, Y. 212–213 (2003) 804
Kunert, H.W., Allowed combinations and overtones of vibrational modes in wurtzite GaN 212–213 (2003) 890
Kuwabara, H., R. Sakamoto, H. Tatsuoka and Y. Nakanishi, Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy 212–213 (2003) 267
Kuwabara, H., see Yoneyama, Y. 212–213 (2003) 122

Laajalehto, K., see Mattila, S. 212–213 (2003) 97
Laffineur, F., N. Couturier, J. Delhalle and Z. Mekhalif, Effect of the solvent on the formation of *n*-dodecanethiol films on a polycrystalline $Ag_{90}Ni_{10}$ substrate 212–213 (2003) 452
Laiho, T., J.A. Leiro and J. Lukkari, XPS study of irradiation damage and different metal–sulfur bonds in dodecanethiol monolayers on gold and platinum surfaces 212–213 (2003) 525

Lapena, L., P. Müller, G. Quentel, H. Guesmi and G. Tréglia, Kinetics study of antimony adsorption on Si(1 1 1) 212–213 (2003) 715
Le Lay, G., see Oughaddou, H. 212–213 (2003) 291
Le Derf, F., see Viel, P. 212–213 (2003) 792
Le Fevre, P., see Hricovini, K. 212–213 (2003) 17
Le Lay, G., see Aufray, B. 212–213 (2003) 3
Le Lay, G., see Suchodolskis, A. 212–213 (2003) 485
Le Normand, F., see Arnault, J.C. 212–213 (2003) 912
Le Thanh, V., and V. Yam, Superlattices of self-assembled Ge/Si(0 0 1) quantum dots 212–213 (2003) 296
Léandri, C., see Oughaddou, H. 212–213 (2003) 291
Lechevallier, L., see Hricovini, K. 212–213 (2003) 17
Lee, K.-Y., see Hayashi, N. 212–213 (2003) 393
Lee, M.-K., see Kang, T.-H. 212–213 (2003) 630
Lee, S.W., see Chiang, T.F. 212–213 (2003) 339
Łęgowski, S., see Wronkowska, A.A. 212–213 (2003) 110
Leiro, J.A., see Laiho, T. 212–213 (2003) 525
Leiro, J.A., see Mattila, S. 212–213 (2003) 97
Lenardi, C., see Magnano, E. 212–213 (2003) 879
Leung, B.H., W.K. Fong and C. Surya, Influence of intermediate-temperature buffer layer on flicker noise characteristics of MBE-grown GaN thin films and devices 212–213 (2003) 897
Lewis, L.J., see Carrier, P. 212–213 (2003) 826
Liébault, J., K. Zarbout, D. Moya-Siesse, J. Bernardini and G. Moya, New technique to characterise thin oxide films under electronic irradiation 212–213 (2003) 809
Lifshits, V.G., see Gruznev, D. 212–213 (2003) 135
Lin, H.H., see Chiang, T.F. 212–213 (2003) 339
Lin, H.H., see He, J.H. 212–213 (2003) 325
Liu, S.H., J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang, Ohmic contact to p-type GaN using a novel Ni/Cu scheme 212–213 (2003) 907
Liu, Z., see Kawashima, Y. 212–213 (2003) 804
Löhneysen, H.v., see Sürgers, C. 212–213 (2003) 105
Lu, H.T., Y.L. Chueh, L.J. Chou and L.J. Chen, Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si 212–213 (2003) 204
Lu, Z.-H., see Carrier, P. 212–213 (2003) 826
Lucovsky, G., G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten, Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices 212–213 (2003) 563
Lucovsky, G., see Bae, C. 212–213 (2003) 644
Lucovsky, G., see Sremaniak, L.S. 212–213 (2003) 839
Lukkari, J., see Laiho, T. 212–213 (2003) 525
Lüscher, R., see Flückiger, T. 212–213 (2003) 43
Luyten, J., S. Helfensteyn and C. Creemers, Segregation in ternary alloys: an interplay of driving forces 212–213 (2003) 833
Luyten, J., see Helfensteyn, S. 212–213 (2003) 844
Lyskawa, J., see Viel, P. 212–213 (2003) 792
Maboudian, R., see Robert Ashurst, W. 212–213 (2003) 735
Madar, R., see Pons, M. 212–213 (2003) 177
Magnano, E., C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani, Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy 212–213 (2003) 879
Magnano, E., see Giovanelli, L. 212–213 (2003) 57
Magnano, E., see Padovani, M. 212–213 (2003) 213
Makarov, N.M., see Atenco-Analco, N. 212–213 (2003) 782
Malterre, D., see Bendounan, A. 212–213 (2003) 33
Manea, S.A., see Grigorescu, C.E.A. 212–213 (2003) 78
Mani, A.A., see Humbert, C. 212–213 (2003) 797
Marco de Lucas, M.C., see Chiaramonte, T. 212–213 (2003) 661
Marine, W., see Ozerov, I. 212–213 (2003) 349
Marlière, C., see Célarié, F. 212–213 (2003) 92
Masuda, T., see Humbert, C. 212–213 (2003) 797
Matolin, V., see Ould-Metidji, Y. 212–213 (2003) 614
Matolin, V., see Petit, M. 212–213 (2003) 601
Matsubayashi, Y., see Sakamoto, K. 212–213 (2003) 249
Mattera, L., see Bisio, F. 212–213 (2003) 166
Mattera, L., see Moroni, R. 212–213 (2003) 224
Mattila, S., J.A. Leiro and K. Laajalehto, Surface XPS core-level shifts of FeS_2 212–213 (2003) 97
McBreen, P.H., see Oudghiri-Hassani, H. 212–213 (2003) 4
McGovern, I.T., see Evans, D.A. 212–213 (2003) 417
Męczyńska, H., see Wronkowska, A.A. 212–213 (2003) 110
Mekhalif, Z., F. Plumier and J. Delhalle, Electropolymerisation of poly(3,4-ethylene-dioxythiophene) on nickel substrates 212–213 (2003) 472
Mekhalif, Z., see Laffineur, F. 212–213 (2003) 452
Mekhalif, Z., see Philippin, G. 212–213 (2003) 530
Mekhalif, Z., see Plumier, F. 212–213 (2003) 271
Mekhalif, Z., see Sinapi, F. 212–213 (2003) 464
Méndez, H., see Zahn, D.R.T. 212–213 (2003) 423
Menon, M., see Sremaniak, L.S. 212–213 (2003) 839
Mermoux, M., see Pons, M. 212–213 (2003) 177
Merz, J., see Prutskij, T.A. 212–213 (2003) 230
Métois, J.-J., see Schroll, R.D. 212–213 (2003) 219
Meunier, A., B. Gilles and M. Verdier, Interdiffusion and magnetism in Ni/Cu multilayers 212–213 (2003) 171
Miao, L., P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura, Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering 212–213 (2003) 255
Miao, L., see Jin, P. 212–213 (2003) 775
Miao, L., see Tanemura, S. 212–213 (2003) 279
Miao, L., see Tanemura, S. 212–213 (2003) 654
Michlmayr, T., see Flückiger, T. 212–213 (2003) 43
Milani, P., see Magnano, E. 212–213 (2003) 879
Mintairov, A., see Prutskij, T.A. 212–213 (2003) 230
Mitrea, M., see Grigorescu, C.E.A. 212–213 (2003) 78
Miyata, S., see Nakahara, H. 212–213 (2003) 334
Mizutani, T., see Mori, T. 212–213 (2003) 458
Møller, P.J., see Komolov, A.S. 212–213 (2003) 497

Mokuno, Y., see Tsubouchi, N. 212–213 (2003) 920
Monnereau, O., see Grigorescu, C.E.A. 212–213 (2003) 78
Morais, J., see Krug, C. 212–213 (2003) 556
Morgante, A., see Giovanelli, L. 212–213 (2003) 57
Mori, M., see Gruznev, D. 212–213 (2003) 135
Mori, T., T. Ogawa, D.-C. Cho and T. Mizutani, A discussion of conduction in organic light-emitting diodes 212–213 (2003) 458
Mori, Y., S. Tanemura, S. Koide, Y. Senzaki, P. Jin, K. Kaneko, A. Terai and N. Nabotova-Gabin, Thermo-coloration of SmS thin flims by XPS in situ observation 212–213 (2003) 38
Mori, Y., see Tanemura, S. 212–213 (2003) 279
Moriarty, P., see Guaino, Ph. 212–213 (2003) 537
Moroni, R., F. Bisio and L. Mattera, Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties 212–213 (2003) 224
Moustrou, C., see Battaglini, N. 212–213 (2003) 481
Moya, G., see Liébault, J. 212–213 (2003) 809
Moya-Siesse, D., see Liébault, J. 212–213 (2003) 809
Muck, T., see Wagner, V. 212–213 (2003) 520
Müller, P., see Lapena, L. 212–213 (2003) 715
Murota, J., see Kanaya, T. 212–213 (2003) 684
Murota, J., see Noh, J. 212–213 (2003) 679
Murota, J., see Sakuraba, M. 212–213 (2003) 197
Murota, J., see Shim, H. 212–213 (2003) 209
Murota, J., see Takahashi, K. 212–213 (2003) 193
Muto, D., see Sakuraba, M. 212–213 (2003) 197

Nabatova-Gabain, N., see Miao, L. 212–213 (2003) 255
Nabatova-Gabain, N., see Tanemura, S. 212–213 (2003) 279
Nabatova-Gabain, N., see Tanemura, S. 212–213 (2003) 654
Nabotova-Gabin, N., see Mori, Y. 212–213 (2003) 38
Naitoh, M., see Ikari, T. 212–213 (2003) 579
Naitoh, M., see Oishi, N. 212–213 (2003) 373
Nakahara, H., H. Suzuki, S. Miyata and A. Ichimiya, Ga-induced nano-facet formation on Si(1 1 n) surfaces 212–213 (2003) 334
Nakahara, H., T. Hishida and A. Ichimiya, Inelastic electron analysis in reflection high-energy electron diffraction condition 212–213 (2003) 157
Nakajima, H., see Nakanishi, Y. 212–213 (2003) 815
Nakamura, J., see Natori, A. 212–213 (2003) 705
Nakamura, J., Z. Zhang, K. Sumitomo, H. Omi, T. Ogino and A. Natori, Structural stability of the Ge/Si(1 1 3)-2 × 2 surface 212–213 (2003) 724
Nakamura, T., K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno, Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy 212–213 (2003) 515
Nakanishi, H., T. Kishi, H. Kasai, F. Komori and A. Okiji, Transport properties of magnetic atom bridges controlled by a scanning tunneling microscope 212–213 (2003) 829
Nakanishi, S., see Oishi, N. 212–213 (2003) 373
Nakanishi, Y., K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka, Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate 212–213 (2003) 815
Nakanishi, Y., see Kuwabara, H. 212–213 (2003) 267
Nakanishi, Y., see Ogita, M. 212–213 (2003) 397
Narducci, D., L. Pedemonte and G. Bracco, On the re-oxidation of silicon(0 0 1) surfaces modified by self-assembled monolayers 212–213 (2003) 649
Narducci, D., P. Bernardinello and M. Oldani, Investigation of gas–surface interactions at self-assembled silicon surfaces acting as gas sensors 212–213 (2003) 491
Narducci, D., see Pedemonte, L. 212–213 (2003) 595
Narita, Y., T. Inubushi, K. Yasui and T. Akahane, Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane 212–213 (2003) 730
Natori, A., M. Osanai, J. Nakamura and H. Yasunaga, Dynamics of c(4 × 2) phase-transition in Si(1 0 0) surfaces 212–213 (2003) 705
Natori, A., see Nakamura, J. 212–213 (2003) 724
Natori, A., see Sakamoto, K. 212–213 (2003) 249
Nelson, D., see Ozerov, I. 212–213 (2003) 349
Nemanich, R.J., see Lucovsky, G. 212–213 (2003) 563
Nguyen, T.N., see Ackermann, J. 212–213 (2003) 411
Nguyen, T.P., see Jarrige, I. 212–213 (2003) 689
Nihonyanagi, S., see Humbert, C. 212–213 (2003) 797
Nikolić, K., see Ackermann, J. 212–213 (2003) 411
Nishigaki, S., see Ikari, T. 212–213 (2003) 579
Nishigaki, S., see Oishi, N. 212–213 (2003) 373
Niwa, Y., see Hosoi, Y. 212–213 (2003) 441
Noh, J., M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda, Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer 212–213 (2003) 679
Nohira, H., see Hattori, T. 212–213 (2003) 547
Notonier, R., see Grigorescu, C.E.A. 212–213 (2003) 78
Nyéki, J., C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini, Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys 212–213 (2003) 244

Oberbeck, L., T. Hallam, N.J. Curson, M.Y. Simmons and R.G. Clark, STM investigation of epitaxial Si growth for the fabrication of a Si-based quantum computer 212–213 (2003) 319
O'Brien, S., see Evans, D.A. 212–213 (2003) 417
Ogawa, T., see Mori, T. 212–213 (2003) 458
Ogino, T., see Nakamura, J. 212–213 (2003) 724
Ogita, M., S. Yuasa, K. Kobayashi, Y. Yamada, Y. Nakanishi and Y. Hatanaka, Presumption and improvement for gallium oxide thin film of high temperature oxygen sensors 212–213 (2003) 397

Ohkura, S., see Hayashi, N. 212–213 (2003) 393
Ohkura, S., see Kamada, K. 212–213 (2003) 383
Ohlídal, I., see Franta, D. 212–213 (2003) 116
Ohtake, A., S. Tsukamoto, M. Pristovsek and N. Koguchi, Structure of Ga-stabilized GaAs(0 0 1) surfaces at high temperatures 212–213 (2003) 146
Oishi, N., N. Saitoh, M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa, A structural analysis of Bi/Si(1 0 0) 2 × *n* surfaces by ICISS 212–213 (2003) 373
Okado, H., O. Kubo, N. Yamaoka, S. Itou, M. Katayama and K. Oura, In situ observation of oxygen-induced anisotropic surface etching processes at 6H-SiC(0 0 0 1) by variable temperature scanning tunneling microscope 212–213 (2003) 575
Okiji, A., see Nakanishi, H. 212–213 (2003) 829
Okudaira, K.K., see Nakamura, T. 212–213 (2003) 515
Okutani, S., see Yasui, K. 212–213 (2003) 619
Oldani, M., see Narducci, D. 212–213 (2003) 491
Olivier, S., A. Saúl and G. Tréglia, Relation between surface stress and (1 × 2) reconstruction for (1 1 0) fcc transition metal surfaces 212–213 (2003) 866
Omi, H., see Nakamura, J. 212–213 (2003) 724
Ortega, J., see Kampen, T.U. 212–213 (2003) 850
Ortega, J., see Szűcs, B. 212–213 (2003) 861
Osanai, M., see Natori, A. 212–213 (2003) 705
Ouchi, Y., see Hosoi, Y. 212–213 (2003) 441
Oudghiri-Hassani, H., E. Zahidi, M. Siaj, J. Wang and P.H. McBreen, Passivation of metal carbide surfaces: relevance to carbon nanotube–metal interconnections 212–213 (2003) 4
Oughaddou, H., C. Léandri, B. Aufray, C. Girardeaux, J. Bernardini, G., Le Lay J.P. Bibérian and N. Barrett, Growth and dissolution kinetics of Au/Pb(1 1 1): an AES-LEED study 212–213 (2003) 291
Ould-Metidji, Y., L. Bideux, D. Baca, B. Gruzza and V. Matolin, Nitridation of GaAs(1 0 0) substrates and Ga/GaAs systems studied by XPS spectroscopy 212–213 (2003) 614
Ould-Metidji, Y., see Petit, M. 212–213 (2003) 601
Oura, K., see Hayashi, N. 212–213 (2003) 393
Oura, K., see Honda, S.-i. 212–213 (2003) 378
Oura, K., see Kamada, K. 212–213 (2003) 383
Oura, K., see Okado, H. 212–213 (2003) 575
Oyama, T., see Kamada, K. 212–213 (2003) 383
Ozerov, I., D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis, Synthesis and laser processing of ZnO nanocrystalline thin films 212–213 (2003) 349

Padovani, M., E. Magnano, G. Bertoni, V. Spreafico, L. Gavioli and M. Sancrotti, Ag island nucleation on Ge(1 1 1)-*c* (2 × 8) 212–213 (2003) 213
Padovani, M., see Gavioli, L. 212–213 (2003) 47
Palacin, S., see Patrone, L. 212–213 (2003) 446
Palacin, S., see Viel, P. 212–213 (2003) 792
Palomino-Merino, R., see Conde-Gallardo, A. 212–213 (2003) 583
Paraian, A., see Kampen, T.U. 212–213 (2003) 501
Park, C.-Y., see Kang, T.-H. 212–213 (2003) 630
Park, S., see Evans, D.A. 212–213 (2003) 417
Patrone, L., S. Palacin and J.P. Bourgoin, Direct comparison of the electronic coupling efficiency of sulfur and selenium alligator clips for molecules adsorbed onto gold electrodes 212–213 (2003) 446
Pecoraro, S., see Arnault, J.C. 212–213 (2003) 912
Pedemonte, L., G. Bracco, A. Relini, R. Rolandi and D. Narducci, Morphology changes of Si(0 0 1) surfaces during wet chemical halogenation 212–213 (2003) 595
Pedemonte, L., G. Bracco, C. Boragno, F. Buatier de Mongeot and U. Valbusa, He diffraction study of the time decay of ripple structures on ion bombarded Ag(1 1 0) 212–213 (2003) 344
Pedemonte, L., see Narducci, D. 212–213 (2003) 649
Pedio, M., see Giovanelli, L. 212–213 (2003) 57
Pei, Z., and H.L. Hwang, Formation of silicon nano-dots in luminescent silicon nitride 212–213 (2003) 760
Pelletier, S., see Garreau, G. 212–213 (2003) 711
Pereira, M.A., J.A. Diniz, I. Doi and J.W. Swart, Silicon nitride deposited by ECR–CVD at room temperature for LOCOS isolation technology 212–213 (2003) 388
Peremans, A., see Humbert, C. 212–213 (2003) 797
Pérez, R., see Kampen, T.U. 212–213 (2003) 850
Pérez, R., see Szűcs, B. 212–213 (2003) 861
Pérez-Dieste, V., J.F. Sanchez, M. Izquierdo, L. Roca, J. Avila and M.C. Asensio, The growth of silver films on Si(1 1 1)-(7 × 7) studied by using photoelectron diffraction 212–213 (2003) 235
Pérez-Rodríguez, F., see Atenco-Analco, N. 212–213 (2003) 782
Pérez-Rodríguez, F., see Flores-Desirena, B. 212–213 (2003) 127
Perfetti, P., see De Padova, P. 212–213 (2003) 10
Perfetti, P., see Hricovini, K. 212–213 (2003) 17
Pernot, E., see Pons, M. 212–213 (2003) 177
Pesci, A., see Giovanelli, L. 212–213 (2003) 57
Petit, M., Y. Ould-Metidji, Ch. Robert, L. Bideux, B. Gruzza and V. Matolin, First stages of the InP(1 0 0) surfaces nitridation studied by AES, EELS and EPES 212–213 (2003) 601
Petukhov, M., G.A. Rizzi, M. Sambi and G. Granozzi, An XPD and LEED study of highly strained ultrathin Ni films on Pd(1 0 0) 212–213 (2003) 264
Pham, G., T.U. Kampen, I. Thurzo, M. Friedrich and D.R.T. Zahn, Peculiar features in the electrical characteristics of CuPc based diodes 212–213 (2003) 542

Philippin, G., J. Delhalle and Z. Mekhalif, Comparative study of the monolayers of CH_3–$(CH_2)_n$–$SiCl_3$ and CH_3–$(CH_2)_n$–$PO(OH)_2$, n = 4 and 13, adsorbed on polycrystalline titanium substrates 212–213 (2003) 530
Pirri, C., see Garreau, G. 212–213 (2003) 711
Piseri, P., see Magnano, E. 212–213 (2003) 879
Plumier, F., E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif, Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper 212–213 (2003) 271
Plumier, F., see Mekhalif, Z. 212–213 (2003) 472
Pons, M., F. Baillet, E. Blanquet, E. Pernot, R. Madar, D. Chaussende, M. Mermoux, L. Di Coccio, P. Ferret, G. Feuillet, C. Faure and Th. Billon, Vapor phase techniques for the fabrication of homoepitaxial layers of silicon carbide: process modeling and characterization 212–213 (2003) 177
Poweleit, C.D., see Roucka, R. 212–213 (2003) 872
Prades, S., see Célarié, F. 212–213 (2003) 92
Pristovsek, M., see Ohtake, A. 212–213 (2003) 146
Prutskij, T.A., P. Díaz-Arencibia, A. Mintairov, J. Merz and T. Kosel, Some evidences of ordering in InGaP layers grown by liquid phase epitaxy 212–213 (2003) 230

Quaresima, C., see De Padova, P. 212–213 (2003) 10
Quaresima, C., see Hricovini, K. 212–213 (2003) 17
Quentel, G., see Lapena, L. 212–213 (2003) 715

Radtke, C., I.J.R. Baumvol, F.C. Stedile, I.C. Vickridge, I. Trimaille, J.-J. Ganem and S. Rigo, Thermal growth of SiO_2 on SiC investigated by isotopic tracing and subnanometric depth profiling 212–213 (2003) 570
Radtke, C., see Krug, C. 212–213 (2003) 556
Raj, P., see George, V.C. 212–213 (2003) 287
Rao, B.V., see Gruznev, D. 212–213 (2003) 135
Raynal, P., see Ackermann, J. 212–213 (2003) 26
Rayner Jr., G.B., see Lucovsky, G. 212–213 (2003) 563
Relini, A., see Pedemonte, L. 212–213 (2003) 595
Repain, V., see Baudot, G. 212–213 (2003) 360
Richards, H.L., see Schroll, R.D. 212–213 (2003) 219
Richter, C., see De Padova, P. 212–213 (2003) 10
Richter, C., see Hricovini, K. 212–213 (2003) 17
Rigo, S., see Radtke, C. 212–213 (2003) 570
Rizzi, G.A., see Petukhov, M. 212–213 (2003) 264
Robert Ashurst, W., M.P. de Boer, C. Carraro and R. Maboudian, An investigation of sidewall adhesion in MEMS 212–213 (2003) 735
Robert, C., see Gruzza, B. 212–213 (2003) 667
Robert, Ch., see Petit, M. 212–213 (2003) 601
Roca, L., M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio, Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors 212–213 (2003) 62
Roca, L., see Izquierdo, M. 212–213 (2003) 67
Roca, L., see Pérez-Dieste, V. 212–213 (2003) 235
Rohart, S., see Baudot, G. 212–213 (2003) 360
Rolandi, R., see Pedemonte, L. 212–213 (2003) 595
Rolland, A., see Nyéki, J. 212–213 (2003) 244
Rossignol, F., see Jonnard, P. 212–213 (2003) 674
Roucka, R., J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong, Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN 212–213 (2003) 872
Rousset, S., see Baudot, G. 212–213 (2003) 360
Roy, M., see George, V.C. 212–213 (2003) 287

Sacilotti, M., see Chiaramonte, T. 212–213 (2003) 661
Saiki, K., see Kiguchi, M. 212–213 (2003) 101
Saiki, K., see Kiguchi, M. 212–213 (2003) 701
Saitoh, N., see Oishi, N. 212–213 (2003) 373
Sakai, A., see Zaima, S. 212–213 (2003) 184
Sakaki, S., see Sato, N. 212–213 (2003) 438
Sakamoto, K., Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga, Surface electromigration of In-covered Si high-index surfaces 212–213 (2003) 249
Sakamoto, R., see Kuwabara, H. 212–213 (2003) 267
Sakuraba, M., D. Muto, T. Seino and J. Murota, Si atomic layer-by-layer epitaxial growth process using alternate exposure of Si(1 0 0) to SiH_4 and to Ar plasma 212–213 (2003) 197
Sakuraba, M., see Kanaya, T. 212–213 (2003) 684
Sakuraba, M., see Noh, J. 212–213 (2003) 679
Sakuraba, M., see Shim, H. 212–213 (2003) 209
Sakuraba, M., see Takahashi, K. 212–213 (2003) 193
Sakurai, Y., see Hosoi, Y. 212–213 (2003) 441
Sallé, M., see Viel, P. 212–213 (2003) 792
Salvan, G., see Das, A. 212–213 (2003) 433
Salvan, G., see Kampen, T.U. 212–213 (2003) 501
Salvan, G., see Kobitski, A.Yu. 212–213 (2003) 428
Samat, A., see Battaglini, N. 212–213 (2003) 481
Sambi, M., see Petukhov, M. 212–213 (2003) 264
Sanchez, J.F., see Pérez-Dieste, V. 212–213 (2003) 235
Sancrotti, M., see Bertoni, G. 212–213 (2003) 52
Sancrotti, M., see Gavioli, L. 212–213 (2003) 47
Sancrotti, M., see Giovanelli, L. 212–213 (2003) 57
Sancrotti, M., see Magnano, E. 212–213 (2003) 879
Sancrotti, M., see Padovani, M. 212–213 (2003) 213
Sarro, P.M., see Ackermann, J. 212–213 (2003) 411
Sato, J., see Kashiwaba, Y. 212–213 (2003) 162
Sato, N., H. Yoshida, K. Tsutsumi, M. Sumimoto, H. Fujimoto and S. Sakaki, Electronic structures of unoccupied states in lithium phthalocyanine thin films of different polymorphs studied by IPES 212–213 (2003) 438
Saúl, A., see Olivier, S. 212–213 (2003) 866
Schmidt, G., see Wagner, V. 212–213 (2003) 901
Schneider, M., see Wagner, V. 212–213 (2003) 520
Schöck, M., see Sürgers, C. 212–213 (2003) 105
Scholz, R., see Kobitski, A.Yu. 212–213 (2003) 428

Schroll, R.D., S.D. Cohen, T.L. Einstein, J.-J. Métois, H. Gebremariam, H.L. Richards and E.D. Williams, Si(1 1 1) step fluctuations in reflection electron microscopy at 1100 °C: anomalous step–step repulsion 212–213 (2003) 219
Schürmann, M., S. Dreiner, U. Berges and C. Westphal, Sb/Si(1 1 0) 2×3—a photoelectron diffraction study 212–213 (2003) 131
Seino, T., see Sakuraba, M. 212–213 (2003) 197
Seki, K., see Hosoi, Y. 212–213 (2003) 441
Seman, M.B., see Hattori, T. 212–213 (2003) 547
Sentis, M., see Ozerov, I. 212–213 (2003) 349
Senzaki, Y., see Mori, Y. 212–213 (2003) 38
Senzaki, Y., see Tanemura, S. 212–213 (2003) 279
Shacham-Diamand, Y., see Kohn, A. 212–213 (2003) 367
Shao, L.-X., K.-H. Chang and H.-L. Hwang, Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications 212–213 (2003) 305
Shim, H., M. Sakuraba, T. Tsuchiya and J. Murota, Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD 212–213 (2003) 209
Shimada, M., see Sakamoto, K. 212–213 (2003) 249
Shimaoka, G., see Nakanishi, Y. 212–213 (2003) 815
Shimaoka, G., T. Arakawa and Y. Suzuki, Electron induced epitaxy of cubic ZnS on GaAs(1 0 0) surfaces 212–213 (2003) 694
Shimomura, M., see Fukuda, Y. 212–213 (2003) 329
Shin, H.-J., see Kang, T.-H. 212–213 (2003) 630
Shin, S., see Hattori, T. 212–213 (2003) 547
Shirai, T., see Fukuda, Y. 212–213 (2003) 329
Shoji, F., see Oishi, N. 212–213 (2003) 373
Siaj, M., see Oudghiri-Hassani, H. 212–213 (2003) 4
Simmons, M.Y., see Oberbeck, L. 212–213 (2003) 319
Sinapi, F., L. Forget, J. Delhalle and Z. Mekhalif, Self-assembly of (3-mercaptopropyl)trimethoxysilane on polycrystalline zinc substrates towards corrosion protection 212–213 (2003) 464
Siviero, F., see Magnano, E. 212–213 (2003) 879
Smith, D.J., see Roucka, R. 212–213 (2003) 872
Socha, R.P., and J. Väyrynen, The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions 212–213 (2003) 636
Soukiassian, P., see Aufray, B. 212–213 (2003) 3
Spiller, E., see Gavioli, L. 212–213 (2003) 47
Spreafico, V., see Padovani, M. 212–213 (2003) 213
Sremaniak, L.S., J.L. Whitten, M. Menon and G. Lucovsky, Contributions to the infrared effective charges of oxides and chalcogenides from equilibrium charge and dynamic charge redistribution during normal mode motions 212–213 (2003) 839
Stedile, F.C., see Krug, C. 212–213 (2003) 556
Stedile, F.C., see Radtke, C. 212–213 (2003) 570
Stefański, M., see Wronkowska, A.A. 212–213 (2003) 110
Steiner, H.J., see Evans, D.A. 212–213 (2003) 417
Sterzel, R., see Suchodolskis, A. 212–213 (2003) 485
Stesmans, A., see Houssa, M. 212–213 (2003) 749
Stümpel, J., see Busch, I. 212–213 (2003) 201
Suchodolskis, A., W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig, Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals 212–213 (2003) 485
Sumimoto, M., see Sato, N. 212–213 (2003) 438
Sumitomo, K., see Nakamura, J. 212–213 (2003) 724
Sürgers, C., M. Schöck, T. Trappmann and H. v. Löhneysen, STM and STS on single dopants and Au-induced chains at the Si(1 1 1) surface 212–213 (2003) 105
Surya, C., see Leung, B.H. 212–213 (2003) 897
Suzuki, H., see Nakahara, H. 212–213 (2003) 334
Suzuki, Y., see Shimaoka, G. 212–213 (2003) 694
Swart, J.W., see Pereira, M.A. 212–213 (2003) 388
Szabó, I.A., see Beszeda, I. 212–213 (2003) 787
Szamota Leandersson, K., M. Göthelid, O. Tjernberg and U.O. Karlsson, Interaction between oxygen and InAs(1 1 1) surfaces, influence of the electron accumulation layer 212–213 (2003) 589
Szűcs, B., Z. Hajnal, Th. Frauenheim, C. González, J. Ortega, R. Pérez and F. Flores, Chalcogen passivation of GaAs(1 0 0) surfaces: theoretical study 212–213 (2003) 861

Takahashi, K., M. Fujiu, M. Sakuraba and J. Murota, Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment 212–213 (2003) 193
Takahashi, K., see Hattori, T. 212–213 (2003) 547
Takahashi, S., see Kamada, K. 212–213 (2003) 383
Takata, Y., see Hattori, T. 212–213 (2003) 547
Tambo, T., see Gruznev, D. 212–213 (2003) 135
Tanemura, S., L. Miao, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain, Optical properties of polycrystalline and epitaxial anatase and rutile TiO_2 thin films by rf magnetron sputtering 212–213 (2003) 654
Tanemura, S., S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain, Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering 212–213 (2003) 279
Tanemura, S., see Jin, P. 212–213 (2003) 775
Tanemura, S., see Miao, L. 212–213 (2003) 255
Tanemura, S., see Mori, Y. 212–213 (2003) 38
Tatsuoka, H., see Kuwabara, H. 212–213 (2003) 267
Tatsuoka, H., see Yoneyama, Y. 212–213 (2003) 122
Tatsuyama, C., see Gruznev, D. 212–213 (2003) 135
Tazawa, M., G. Xu and P. Jin, Transparent ellipsometric memory with thin film

multilayer structures. Optical memory based on the ellipsometric principle 212–213 (2003) 402
Tazawa, M., see Jin, P. 212–213 (2003) 775
Tejeda, A., see Roca, L. 212–213 (2003) 62
Teodorescu, C., see Hricovini, K. 212–213 (2003) 17
Terai, A., see Miao, L. 212–213 (2003) 255
Terai, A., see Mori, Y. 212–213 (2003) 38
Terai, A., see Tanemura, S. 212–213 (2003) 279
Terai, A., see Tanemura, S. 212–213 (2003) 654
Terashima, K., see Kawashima, Y. 212–213 (2003) 804
Terreni, S., see Bisio, F. 212–213 (2003) 166
Terwagne, G., see Plumier, F. 212–213 (2003) 271
Thiry, P.A., see Humbert, C. 212–213 (2003) 797
Thurzo, I., see Pham, G. 212–213 (2003) 542
Thurzo, I., T.U. Kampen, D.R.T. Zahn and D. König, Electron capture kinetics at AlF_3/SiO_2 interfaces 212–213 (2003) 753
Tiberj, A., see Camassel, J. 212–213 (2003) 742
Tixier, C., see Jonnard, P. 212–213 (2003) 674
Tjernberg, O., see Szamota Leandersson, K. 212–213 (2003) 589
Tolle, J., see Roucka, R. 212–213 (2003) 872
Tortet, L., see Grigorescu, C.E.A. 212–213 (2003) 78
Trappmann, T., see Sürgers, C. 212–213 (2003) 105
Tréglia, G., see Lapena, L. 212–213 (2003) 715
Tréglia, G., see Olivier, S. 212–213 (2003) 866
Trimaille, I., see Radtke, C. 212–213 (2003) 570
Tristant, P., see Jonnard, P. 212–213 (2003) 674
Truong, V.-V., R. Belley, G. Bader and A. Haché, Spectroscopic multiple angle reflection and transmission ellipsometry of aggregated gold films 212–213 (2003) 140
Tsong, I.S.T., see Roucka, R. 212–213 (2003) 872
Tsubouchi, N., A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino, 3C-SiC thin epilayer formation at low temperature using ion beams 212–213 (2003) 920
Tsuchiya, T., see Shim, H. 212–213 (2003) 209
Tsuji, K., see Hayashi, N. 212–213 (2003) 393
Tsukamoto, S., see Ohtake, A. 212–213 (2003) 146
Tsutsumi, K., see Sato, N. 212–213 (2003) 438

Ueno, N., see Nakamura, T. 212–213 (2003) 515
Uhrberg, R.I.G., see Zhang, H.M. 212–213 (2003) 353
Uhrig, E., see Suchodolskis, A. 212–213 (2003) 485
Umbach, E., see Wagner, V. 212–213 (2003) 520
Umezawa, K., see Oishi, N. 212–213 (2003) 373
Uosaki, K., see Humbert, C. 212–213 (2003) 797

Valbusa, U., see Pedemonte, L. 212–213 (2003) 344
Väyrynen, J., see Socha, R.P. 212–213 (2003) 636
Vearey-Roberts, A.R., see Evans, D.A. 212–213 (2003) 417
Velásquez-Quesada, M.P., see Conde-Gallardo, A. 212–213 (2003) 583
Verdier, M., see Meunier, A. 212–213 (2003) 171
Verdini, A., see Giovanelli, L. 212–213 (2003) 57
Vickridge, I.C., see Radtke, C. 212–213 (2003) 570
Videlot, C., see Ackermann, J. 212–213 (2003) 26
Videlot, C., see Ackermann, J. 212–213 (2003) 411
Viel, P., S. Palacin, F. Descours, C. Bureau, F. Le Derf, J. Lyskawa and M. Sallé, Electropolymerized poly-4-vinylpyridine for removal of copper from wastewater 212–213 (2003) 792
Vinati, S., see Magnano, E. 212–213 (2003) 879
von Schenck, H., J. Weissenrieder, S. Helldén, B. Åkermark and M. Göthelid, Reactions of iodobenzene on Pd(1 1 1) and Pd(1 1 0) 212–213 (2003) 508

Wagner, H.P., see Kobitski, A.Yu. 212–213 (2003) 428
Wagner, J., see Wagner, V. 212–213 (2003) 901
Wagner, V., J. Wagner, L. Hansen, S. Gundel, G. Schmidt and J. Geurts, Surface and overgrowth analysis of the II–VI compound BeTe 212–213 (2003) 901
Wagner, V., T. Muck, J. Geurts, M. Schneider and E. Umbach, Raman analysis of first monolayers of PTCDA on Ag(111) 212–213 (2003) 520
Wang, J., see Oudghiri-Hassani, H. 212–213 (2003) 4
Wang, L., see Ackermann, J. 212–213 (2003) 411
Ward, M.D., see Bracco, G. 212–213 (2003) 151
Weissenrieder, J., see von Schenck, H. 212–213 (2003) 508
Weissker, H.-Ch., see Bechstedt, F. 212–213 (2003) 820
Werckmann, J., see Arnault, J.C. 212–213 (2003) 912
Wesch, W., see Bechstedt, F. 212–213 (2003) 820
Westphal, C., see Schürmann, M. 212–213 (2003) 131
Whitten, J.L., see Lucovsky, G. 212–213 (2003) 563
Whitten, J.L., see Sremaniak, L.S. 212–213 (2003) 839
Wilde, M., see Kawashima, Y. 212–213 (2003) 804
Williams, E.D., see Schroll, R.D. 212–213 (2003) 219
Wronkowska, A.A., A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Łęgowski, H. Męczyńska and K. Hradil, Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy 212–213 (2003) 110
Wronkowski, A., see Wronkowska, A.A. 212–213 (2003) 110
Wu, W.W., see Chiang, T.F. 212–213 (2003) 339
Wu, W.W., see He, J.H. 212–213 (2003) 325

Xu, G., see Jin, P. 212–213 (2003) 775
Xu, G., see Tazawa, M. 212–213 (2003) 402

Yam, V., see Le Thanh, V. 212–213 (2003) 296
Yamada, K., see Ikari, T. 212–213 (2003) 579
Yamada, T., see Sakamoto, K. 212–213 (2003) 249
Yamada, Y., see Ogita, M. 212–213 (2003) 397
Yamamoto, T., see Kamada, K. 212–213 (2003) 383
Yamaoka, N., see Okado, H. 212–213 (2003) 575
Yang, A.B., see Hsiao, H.L. 212–213 (2003) 73
Yasuda, Y., see Noh, J. 212–213 (2003) 679
Yasuda, Y., see Zaima, S. 212–213 (2003) 184
Yasui, K., see Narita, Y. 212–213 (2003) 730
Yasui, K., T. Arayama, S. Okutani and T. Akahane, Generation of ammonia plasma using a helical antenna and nitridation of GaAs surface 212–213 (2003) 619
Yasunaga, H., see Natori, A. 212–213 (2003) 705
Yasunaga, H., see Sakamoto, K. 212–213 (2003) 249

Yoneyama, Y., H. Kuwabara and H. Tatsuoka, Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy 212–213 (2003) 122
Yoshida, H., see Sato, N. 212–213 (2003) 438
Yoshikawa, G., see Kiguchi, M. 212–213 (2003) 701
Yoshimura, K., see Jin, P. 212–213 (2003) 775
Yuasa, S., see Ogita, M. 212–213 (2003) 397
Yu Yurov, V., see Bendounan, A. 212–213 (2003) 33

Zahidi, E., see Oudghiri-Hassani, H. 212–213 (2003) 4
Zahn, D.R.T., see Das, A. 212–213 (2003) 433
Zahn, D.R.T., see Evans, D.A. 212–213 (2003) 417
Zahn, D.R.T., see George, V.C. 212–213 (2003) 287
Zahn, D.R.T., see Kampen, T.U. 212–213 (2003) 501
Zahn, D.R.T., see Kampen, T.U. 212–213 (2003) 850
Zahn, D.R.T., see Kobitski, A.Yu. 212–213 (2003) 428
Zahn, D.R.T., see Pham, G. 212–213 (2003) 542
Zahn, D.R.T., see Thurzo, I. 212–213 (2003) 753
Zahn, D.R.T., T.U. Kampen and H. Méndez, Transport gap of organic semiconductors in organic modified Schottky contacts 212–213 (2003) 423
Zaima, S., A. Sakai and Y. Yasuda, Control in the initial growth stage of heteroepitaxial $Si_{1-x-y}Ge_xC_y$ on Si(0 0 1) substrates 212–213 (2003) 184
Zaima, S., see Noh, J. 212–213 (2003) 679
Zarbout, K., see Liébault, J. 212–213 (2003) 809
Zerrouki, M., see De Padova, P. 212–213 (2003) 10
Zhang, H.M., and R.I.G. Uhrberg, Atomic structures of Ag/Ge(1 1 1) $\sqrt{39} \times \sqrt{39}$ and 6 × 6 surfaces studied by STM: observations of bias dependent reconstruction transformations 212–213 (2003) 353
Zhang, Y., see Lucovsky, G. 212–213 (2003) 563
Zhang, Z., see Nakamura, J. 212–213 (2003) 724
Zorba, V., see Grigorescu, C.E.A. 212–213 (2003) 78

ELSEVIER

Applied Surface Science 212–213 (2003) XIV–XLIX

applied surface science

www.elsevier.com/locate/apsusc

Subject Index

Ablation

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78

Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349

Alkali halides

Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure, M. Kiguchi, M. Katayama, G. Yoshikawa, K. Saiki and A. Koma 212–213 (2003) 701

Alkali metals

Potassium assembled on the InAs(1 1 0) surface: from nanowires to two-dimensional layers, L. Gavioli, M. Padovani, E. Spiller, M. Sancrotti and M.G. Betti 212–213 (2003) 47

Alloys

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78

Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110

Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224

Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244

Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

Auto-correlation function analysis of crystallization in amorphous SiGe thin films, T.F. Chiang, W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen 212–213 (2003) 339

Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383

Effect of the solvent on the formation of *n*-dodecanethiol films on a polycrystalline $Ag_{90}Ni_{10}$ substrate, F. Laffineur, N. Couturier, J. Delhalle and Z. Mekhalif 212–213 (2003) 452

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563

Segregation in ternary alloys: an interplay of driving forces, J. Luyten, S. Helfensteyn and C. Creemers 212–213 (2003) 833

doi:10.1016/S0169-4332(03)00669-X

Modelling surface phenomena in PdNi alloys, S. Helfensteyn, J. Luyten, L. Feyaerts and C. Creemers 212–213 (2003) 844
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Aluminium

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43
Electron capture kinetics at AlF_3/SiO_2 interfaces, I. Thurzo, T.U. Kampen, D.R.T. Zahn and D. König 212–213 (2003) 753
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872
Cathodoluminescence in-depth spectroscopy study of AlGaN/GaN heterostructures, F. Ishikawa and H. Hasegawa 212–213 (2003) 885

Aluminium oxide

Characterization by ion beams of surfaces and interfaces of alternative materials for future microelectronic devices, C. Krug, F.C. Stedile, C. Radtke, E.B.O. da Rosa, J. Morais, F.L. Freire Jr. and I.J.R. Baumvol 212–213 (2003) 556
EPES applied to the study of gold/alumina interfaces, B. Gruzza, C. Robert and L. Bideux 212–213 (2003) 667
Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition, P. Jonnard, J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant 212–213 (2003) 674

Ammonia

Generation of ammonia plasma using a helical antenna and nitridation of GaAs surface, K. Yasui, T. Arayama, S. Okutani and T. Akahane 212–213 (2003) 619

Annealing

Thermo-coloration of SmS thin flims by XPS in situ observation, Y. Mori, S. Tanemura, S. Koide, Y. Senzaki, P. Jin, K. Kaneko, A. Terai and N. Nabotova-Gabin 212–213 (2003) 38
Initial oxynitridation of a Si(1 0 0) 2 × 1 surface by the annealing and low energy nitrogen ion exposure, K.-J. Kim, K. Ihm, C. Jeon, C.-C. Hwang, T.-H. Kang and B. Kim 212–213 (2003) 625
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Antimony

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78
Atomic structure and formation process of the Si(1 1 1)–Sb($\sqrt{7} \times \sqrt{7}$) surface phase, D. Gruznev, B.V. Rao, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama 212–213 (2003) 135
Kinetics study of antimony adsorption on Si(1 1 1), L. Lapena, P. Müller, G. Quentel, H. Guesmi and G. Tréglia 212–213 (2003) 715

Arsenic

Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204

Arsenide

Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433

Atomic force microscopy

Effect of end-substitution of hexyl chains on the growth and electrical properties of quaterthiophene thin films, J. Ackermann, C. Videlot, P. Raynal, A. El Kassmi and P. Dumas 212–213 (2003) 26
Surface fracturation of glassy materials as detected by *real-time* atomic force microscopy (AFM) experiments, F. Célarié, S. Prades, D. Bonamy, A. Dickelé, E. Bouchaud, C. Guillot and C. Marlière 212–213 (2003) 92

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122
Study of the (0 0 1) cleavage planes of guanidinium methanesulfonate single crystals by AFM and He diffraction, G. Bracco, Y. Hu, J. Acker and M.D. Ward 212–213 (2003) 151
Surface electromigration of In-covered Si high-index surfaces, K. Sakamoto, Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga 212–213 (2003) 249
Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287
Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296
Presumption and improvement for gallium oxide thin film of high temperature oxygen sensors, M. Ogita, S. Yuasa, K. Kobayashi, Y. Yamada, Y. Nakanishi and Y. Hatanaka 212–213 (2003) 397
Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433
Morphology changes of Si(0 0 1) surfaces during wet chemical halogenation, L. Pedemonte, G. Bracco, A. Relini, R. Rolandi and D. Narducci 212–213 (2003) 595
Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition, P. Jonnard, J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant 212–213 (2003) 674
Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730
An investigation of sidewall adhesion in MEMS, W. Robert Ashurst, M.P. de Boer, C. Carraro and R. Maboudian 212–213 (2003) 735
Auger electron spectroscopy determination of surface self-diffusion coefficients from growth of voids in thin deposited films, I. Beszeda, I.A. Szabó and E.G. Gontier-Moya 212–213 (2003) 787
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907
3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Auger electron spectroscopy

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43
Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110
Interdiffusion and magnetism in Ni/Cu multilayers, A. Meunier, B. Gilles and M. Verdier 212–213 (2003) 171
Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244
Surface electromigration of In-covered Si high-index surfaces, K. Sakamoto, Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga 212–213 (2003) 249
Growth and dissolution kinetics of Au/Pb(1 1 1): an AES-LEED study, H. Oughaddou, C. Léandri, B. Aufray, C. Girardeaux, J. Bernardini, G. Le Lay, J.P. Bibérian and N. Barrett 212–213 (2003) 291
Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305
Presumption and improvement for gallium oxide thin film of high temperature oxygen sensors, M. Ogita, S. Yuasa, K. Kobayashi, Y. Yamada, Y. Nakanishi and Y. Hatanaka 212–213 (2003) 397
Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563
First stages of the InP(1 0 0) surfaces nitridation studied by AES, EELS and EPES, M. Petit, Y. Ould-Metidji, Ch. Robert, L. Bideux, B. Gruzza and V. Matolin 212–213 (2003) 601
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644

Auger electron spectroscopy determination of surface self-diffusion coefficients from growth of voids in thin deposited films, I. Beszeda, I.A. Szabó and E.G. Gontier-Moya 212–213 (2003) 787

Band structure

Surface states resonance on In-terminated InAs(0 0 1)4 × 2-c(8 × 2) clean surface, P. De Padova, P. Perfetti, C. Quaresima, C. Richter, M. Zerrouki, O. Heckmann, V. Ilakovac and K. Hricovini 212–213 (2003) 10

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Surface-state mediated three-adsorbate interaction: exact and numerical results and simple asymptotic expression, P. Hyldgaard and T.L. Einstein 212–213 (2003) 856

Benzene

Reactions of iodobenzene on Pd(1 1 1) and Pd(1 1 0), H. von Schenck, J. Weissenrieder, S. Helldén, B. Åkermark and M. Göthelid 212–213 (2003) 508

Beryllium

Surface and overgrowth analysis of the II–VI compound BeTe, V. Wagner, J. Wagner, L. Hansen, S. Gundel, G. Schmidt and J. Geurts 212–213 (2003) 901

Bismuth

Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62

Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67

A structural analysis of Bi/Si(1 0 0) 2 × n surfaces by ICISS, N. Oishi, N. Saitoh, M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa 212–213 (2003) 373

Boron

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

Cadmium

Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110

Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces, A.S. Komolov and P.J. Møller 212–213 (2003) 497

Cadmium telluride

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122

Calcium

Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62

Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67

Carbides

Passivation of metal carbide surfaces: relevance to carbon nanotube–metal interconnections, H. Oudghiri-Hassani, E. Zahidi, M. Siaj, J. Wang and P.H. McBreen 212–213 (2003) 4

Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

Carbon

Passivation of metal carbide surfaces: relevance to carbon nanotube–metal interconnections, H. Oudghiri-Hassani, E. Zahidi, M. Siaj, J. Wang and P.H. McBreen 212–213 (2003) 4

Control in the initial growth stage of heteroepitaxial $Si_{1-x-y}Ge_xC_y$ on Si(0 0 1) substrates, S. Zaima, A. Sakai and Y. Yasuda 212–213 (2003) 184

Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383

Highly aligned carbon nanotube arrays fabricated by bias sputtering, N. Hayashi, S.-i. Honda, K. Tsuji, K.-Y. Lee, T. Ikuno, K. Fujimoto, S. Ohkura, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 393

Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730

Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872

Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy, E. Magnano, C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani 212–213 (2003) 879

3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Catalysis

Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383

Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775

Chalcogenides

Expression of the optical constants of chalcogenide thin films using the new parameterization dispersion model, D. Franta, I. Ohlídal, M. Frumar and J. Jedelský 212–213 (2003) 116

Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279

Contributions to the infrared effective charges of oxides and chalcogenides from equilibrium charge and dynamic charge redistribution during normal mode motions, L.S. Sremaniak, J.L. Whitten, M. Menon and G. Lucovsky 212–213 (2003) 839

Chalcogens

Surface properties of chalcogen passivated GaAs(1 0 0), T.U. Kampen, D.R.T. Zahn, W. Braun, C. González, I. Benito, J. Ortega, L. Jurczyszyn, J.M. Blanco, R. Pérez and F. Flores 212–213 (2003) 850

Chalcogen passivation of GaAs(1 0 0) surfaces: theoretical study, B. Szűcs, Z. Hajnal, Th. Frauenheim, C. González, J. Ortega, R. Pérez and F. Flores 212–213 (2003) 861

Chemical vapour deposition

Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193

Si atomic layer-by-layer epitaxial growth process using alternate exposure of Si(1 0 0) to SiH_4 and to Ar plasma, M. Sakuraba, D. Muto, T. Seino and J. Murota 212–213 (2003) 197

Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209

Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287
Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296
SiC nanofibers grown by high power microwave plasma chemical vapor deposition, S.-i. Honda, Y.-G. Baek, T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 378
Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383
Silicon nitride deposited by ECR–CVD at room temperature for LOCOS isolation technology, M.A. Pereira, J.A. Diniz, I. Doi and J.W. Swart 212–213 (2003) 388
Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0) TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661
Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679
W delta doping in Si(1 0 0) using ultraclean low-pressure CVD, T. Kanaya, M. Sakuraba and J. Murota 212–213 (2003) 684
Comparison of classical and BEN nucleation studied on thinned Si (1 1 1) samples: a HRTEM study, J.C. Arnault, S. Pecoraro, F. Le Normand and J. Werckmann 212–213 (2003) 912

Clusters

Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349
Formation of silicon nano-dots in luminescent silicon nitride, Z. Pei and H.L. Hwang 212–213 (2003) 760
Chemical analysis and optical properties of metallic nanoclusters, A. Downes and P. Dumas 212–213 (2003) 770
Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy, E. Magnano, C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani 212–213 (2003) 879

Cobalt

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43
Temperature dependence of ordered cobalt nanodots growth on Au(7 8 8), G. Baudot, S. Rohart, V. Repain, H. Ellmer, Y. Girard and S. Rousset 212–213 (2003) 360
The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}P_{0.08}$ diffusion barriers for copper metallization, A. Kohn, M. Eizenberg and Y. Shacham-Diamand 212–213 (2003) 367

Computer simulations

Vapor phase techniques for the fabrication of homoepitaxial layers of silicon carbide: process modeling and characterization, M. Pons, F. Baillet, E. Blanquet, E. Pernot, R. Madar, D. Chaussende, M. Mermoux, L. Di Cioccio, P. Ferret, G. Feuillet, C. Faure and Th. Billon 212–213 (2003) 177
Dynamics of c(4 × 2) phase-transition in Si(1 0 0) surfaces, A. Natori, M. Osanai, J. Nakamura and H. Yasunaga 212–213 (2003) 705

Copper

Interplay between surface and electronic structures in epitaxial Ag ultra thin films on Cu(111), A. Bendounan, H. Cercellier, Y. Fagot-Revurat, B. Kierren, V. Yu Yurov and D. Malterre 212–213 (2003) 33
Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62
Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67
Structure properties of nanostructured Fe films grown on $c(2 \times 2)$ N/Cu(1 0 0) self-organised surface, P. Finetti, F. Borgatti, R. Felici, R. Gunnella and S. D'Addato 212–213 (2003) 85

Atomic and electronic structures of heteroepitaxial C_{60} film grown on Ni(1 1 1), Cu(1 1 1), M. Kiguchi, K.-i. Iizumi, K. Saiki and A. Koma 212–213 (2003) 101
Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166
Interdiffusion and magnetism in Ni/Cu multilayers, A. Meunier, B. Gilles and M. Verdier 212–213 (2003) 171
Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper, F. Plumier, E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif 212–213 (2003) 271
The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}P_{0.08}$ diffusion barriers for copper metallization, A. Kohn, M. Eizenberg and Y. Shacham-Diamand 212–213 (2003) 367
IRRAS and LEED studies of films of the long chain *n*-alkane *n*-$C_{44}H_{90}$ on Cu(1 0 0) and Cu(1 1 0), Y. Hosoi, Y. Niwa, Y. Sakurai, H. Ishii, Y. Ouchi and K. Seki 212–213 (2003) 441
Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces, A.S. Komolov and P.J. Møller 212–213 (2003) 497
Peculiar features in the electrical characteristics of CuPc based diodes, G. Pham, T.U. Kampen, I. Thurzo, M. Friedrich and D.R.T. Zahn 212–213 (2003) 542
Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure, M. Kiguchi, M. Katayama, G. Yoshikawa, K. Saiki and A. Koma 212–213 (2003) 701
Chemical analysis and optical properties of metallic nanoclusters, A. Downes and P. Dumas 212–213 (2003) 770
Surface-induced broadening and shift of exciton resonances in the thin film regime, N. Atenco-Analco, F. Pérez-Rodríguez and N.M. Makarov 212–213 (2003) 782
Electropolymerized poly-4-vinylpyridine for removal of copper from wastewater, P. Viel, S. Palacin, F. Descours, C. Bureau, F. Le Derf, J. Lyskawa and M. Sallé 212–213 (2003) 792
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Copper nickel Aluminium

Segregation in ternary alloys: an interplay of driving forces, J. Luyten, S. Helfensteyn and C. Creemers 212–213 (2003) 833

Corrosion

Surface fracturation of glassy materials as detected by *real-time* atomic force microscopy (AFM) experiments, F. Célarié, S. Prades, D. Bonamy, A. Dickelé, E. Bouchaud, C. Guillot and C. Marlière 212–213 (2003) 92

Density of states

Expression of the optical constants of chalcogenide thin films using the new parameterization dispersion model, D. Franta, I. Ohlídal, M. Frumar and J. Jedelský 212–213 (2003) 116
A metastable-induced electron spectroscopy study on the process of oxygen adsorption at a Ni(1 1 0) surface, T. Ikari, T. Kojima, K. Yamada, M. Naitoh and S. Nishigaki 212–213 (2003) 579

Depth profiling

Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110
Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper, F. Plumier, E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif 212–213 (2003) 271
First stages of the InP(1 0 0) surfaces nitridation studied by AES, EELS and EPES, M. Petit, Y. Ould-Metidji, Ch. Robert, L. Bideux, B. Gruzza and V. Matolin 212–213 (2003) 601

Diamond

Comparison of classical and BEN nucleation studied on thinned Si (1 1 1) samples: a HRTEM study, J.C. Arnault, S. Pecoraro, F. Le Normand and J. Werckmann 212–213 (2003) 912

Diodes

A discussion of conduction in organic light-emitting diodes, T. Mori, T. Ogawa, D.-C. Cho and T. Mizutani 212–213 (2003) 458

Doping effect

STM and STS on single dopants and Au-induced chains at the Si(1 1 1) surface, C. Sürgers, M. Schöck, T. Trappmann and H. v. Löhneysen 212–213 (2003) 105

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

Elastic peak electron spectroscopy

EPES applied to the study of gold/alumina interfaces, B. Gruzza, C. Robert and L. Bideux 212–213 (2003) 667

Electrical properties

Effect of end-substitution of hexyl chains on the growth and electrical properties of quaterthiophene thin films, J. Ackermann, C. Videlot, P. Raynal, A. El Kassmi and P. Dumas 212–213 (2003) 26

Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204

Transport gap of organic semiconductors in organic modified Schottky contacts, D.R.T. Zahn, T.U. Kampen and H. Méndez 212–213 (2003) 423

A discussion of conduction in organic light-emitting diodes, T. Mori, T. Ogawa, D.-C. Cho and T. Mizutani 212–213 (2003) 458

Electropolymerisation of poly(3,4-ethylene-dioxythiophene) on nickel substrates, Z. Mekhalif, F. Plumier and J. Delhalle 212–213 (2003) 472

Investigation of gas–surface interactions at self-assembled silicon surfaces acting as gas sensors, D. Narducci, P. Bernardinello and M. Oldani 212–213 (2003) 491

Peculiar features in the electrical characteristics of CuPc based diodes, G. Pham, T.U. Kampen, I. Thurzo, M. Friedrich and D.R.T. Zahn 212–213 (2003) 542

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

Electron capture kinetics at AlF_3/SiO_2 interfaces, I. Thurzo, T.U. Kampen, D.R.T. Zahn and D. König 212–213 (2003) 753

Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Electron bombardment

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43

Electron diffraction

Molecular orientation of C_{60} on Pt(111) determined by X-ray photoelectron diffraction, L. Giovanelli, C. Cepek, L. Floreano, E. Magnano, M. Sancrotti, R. Gotter, A. Morgante, A. Verdini, A. Pesci, L. Ferrari and M. Pedio 212–213 (2003) 57

Atomic and electronic structures of heteroepitaxial C_{60} film grown on Ni(1 1 1), Cu(1 1 1), M. Kiguchi, K.-i. Iizumi, K. Saiki and A. Koma 212–213 (2003) 101

Structure of Ga-stabilized GaAs(0 0 1) surfaces at high temperatures, A. Ohtake, S. Tsukamoto, M. Pristovsek and N. Koguchi 212–213 (2003) 146

Inelastic electron analysis in reflection high-energy electron diffraction condition, H. Nakahara, T. Hishida and A. Ichimiya 212–213 (2003) 157

Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193

Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224

An XPD and LEED study of highly strained ultrathin Ni films on Pd(1 0 0), M. Petukhov, G.A. Rizzi, M. Sambi and G. Granozzi 212–213 (2003) 264

Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

W delta doping in Si(1 0 0) using ultraclean low-pressure CVD, T. Kanaya, M. Sakuraba and J. Murota 212–213 (2003) 684

Electron induced epitaxy of cubic ZnS on GaAs(1 0 0) surfaces, G. Shimaoka, T. Arakawa and Y. Suzuki 212–213 (2003) 694
Kinetics study of antimony adsorption on Si(1 1 1), L. Lapena, P. Müller, G. Quentel, H. Guesmi and G. Tréglia 212–213 (2003) 715
Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730
Comparison of classical and BEN nucleation studied on thinned Si (1 1 1) samples: a HRTEM study, J.C. Arnault, S. Pecoraro, F. Le Normand and J. Werckmann 212–213 (2003) 912
3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Electron energy loss spectroscopy

Atomic and electronic structures of heteroepitaxial C_{60} film grown on Ni(1 1 1), Cu(1 1 1), M. Kiguchi, K.-i. Iizumi, K. Saiki and A. Koma 212–213 (2003) 101
Inelastic electron analysis in reflection high-energy electron diffraction condition, H. Nakahara, T. Hishida and A. Ichimiya 212–213 (2003) 157
Adsorption and decomposition of *t*-butylphosphine (TBP) on an InP(0 0 1)–$(2 \times 4)/c(2 \times 8)$ surface studied by STM, TPD, and HREELS, Y. Fukuda, T. Kobayashi, T. Shirai, N. Kadotani and M. Shimomura 212–213 (2003) 329
Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy, T. Nakamura, K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno 212–213 (2003) 515
First stages of the InP(1 0 0) surfaces nitridation studied by AES, EELS and EPES, M. Petit, Y. Ould-Metidji, Ch. Robert, L. Bideux, B. Gruzza and V. Matolin 212–213 (2003) 601
Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0) TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872

Electron microscopy

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78
Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204
Si(1 1 1) step fluctuations in reflection electron microscopy at 1100 °C: anomalous step–step repulsion, R.D. Schroll, S.D. Cohen, T.L. Einstein, J.-J. Métois, H. Gebremariam, H.L. Richards and E.D. Williams 212–213 (2003) 219
Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L. Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255
Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper, F. Plumier, E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif 212–213 (2003) 271
Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279
Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296
Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305
Structural evolution in Ge^+ implantation amorphous Si, J.H. He, W.W. Wu, H.H. Lin, S.L. Cheng, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 325
Auto-correlation function analysis of crystallization in amorphous SiGe thin films, T.F. Chiang, W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen 212–213 (2003) 339
SiC nanofibers grown by high power microwave plasma chemical vapor deposition, S.-i. Honda, Y.-G. Baek,

T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 378
Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383
Silicon nitride deposited by ECR–CVD at room temperature for LOCOS isolation technology, M.A. Pereira, J.A. Diniz, I. Doi and J.W. Swart 212–213 (2003) 388
Highly aligned carbon nanotube arrays fabricated by bias sputtering, N. Hayashi, S.-i. Honda, K. Tsuji, K.-Y. Lee, T. Ikuno, K. Fujimoto, S. Ohkura, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 393
Micro-patterning of self-supporting layers with conducting polymer wires for 3D-chip interconnection applications, J. Ackermann, C. Videlot, T.N. Nguyen, L. Wang, P.M. Sarro, D. Crawley, K. Nikolić and M. Forshaw 212–213 (2003) 411
Electropolymerisation of poly(3,4-ethylene-dioxythiophene) on nickel substrates, Z. Mekhalif, F. Plumier and J. Delhalle 212–213 (2003) 472
Direct image observation of the initial forming of passive thin film on stainless steel surface by PEEM, T.-H. Kang, K. Ihm, C.-C. Hwang, C. Jeon, K.-j. Kim, J.-Y. Kim, M.-K. Lee, H.-J. Shin, B. Kim, S. Chung and C.-Y. Park 212–213 (2003) 630
Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0) TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661
New technique to characterise thin oxide films under electronic irradiation, J. Liébault, K. Zarbout, D. Moya-Siesse, J. Bernardini and G. Moya 212–213 (2003) 809
Quantum structures in SiC, F. Bechstedt, A. Fissel, J. Furthmüller, U. Kaiser, H.-Ch. Weissker and W. Wesch 212–213 (2003) 820
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872
Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy, E. Magnano, C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani 212–213 (2003) 879
Comparison of classical and BEN nucleation studied on thinned Si (1 1 1) samples: a HRTEM study, J.C. Arnault, S. Pecoraro, F. Le Normand and J. Werckmann 212–213 (2003) 912
3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Electron migration

Surface electromigration of In-covered Si high-index surfaces, K. Sakamoto, Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga 212–213 (2003) 249

Electron spectroscopy

A metastable-induced electron spectroscopy study on the process of oxygen adsorption at a Ni(1 1 0) surface, T. Ikari, T. Kojima, K. Yamada, M. Naitoh and S. Nishigaki 212–213 (2003) 579

Electronic properties

Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices, P. Carrier, Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana 212–213 (2003) 826

Ellipsometry

Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110
Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L. Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255
Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279
Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402

Optical properties of polycrystalline and epitaxial anatase and rutile TiO_2 thin films by rf magnetron sputtering, S. Tanemura, L. Miao, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 654

Epitaxy

Interplay between surface and electronic structures in epitaxial Ag ultra thin films on Cu(111), A. Bendounan, H. Cercellier, Y. Fagot-Revurat, B. Kierren, V. Yu Yurov and D. Malterre 212–213 (2003) 33

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122

Vapor phase techniques for the fabrication of homoepitaxial layers of silicon carbide: process modeling and characterization, M. Pons, F. Baillet, E. Blanquet, E. Pernot, R. Madar, D. Chaussende, M. Mermoux, L. Di Cioccio, P. Ferret, G. Feuillet, C. Faure and Th. Billon 212–213 (2003) 177

Control in the initial growth stage of heteroepitaxial $Si_{1-x-y}Ge_xC_y$ on Si(0 0 1) substrates, S. Zaima, A. Sakai and Y. Yasuda 212–213 (2003) 184

Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193

Si atomic layer-by-layer epitaxial growth process using alternate exposure of Si(1 0 0) to SiH_4 and to Ar plasma, M. Sakuraba, D. Muto, T. Seino and J. Murota 212–213 (2003) 197

An XPD and LEED study of highly strained ultrathin Ni films on Pd(1 0 0), M. Petukhov, G.A. Rizzi, M. Sambi and G. Granozzi 212–213 (2003) 264

Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

STM investigation of epitaxial Si growth for the fabrication of a Si-based quantum computer, L. Oberbeck, T. Hallam, N.J. Curson, M.Y. Simmons and R.G. Clark 212–213 (2003) 319

Auto-correlation function analysis of crystallization in amorphous SiGe thin films, T.F. Chiang, W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen 212–213 (2003) 339

Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

W delta doping in Si(1 0 0) using ultraclean low-pressure CVD, T. Kanaya, M. Sakuraba and J. Murota 212–213 (2003) 684

Electron induced epitaxy of cubic ZnS on GaAs(1 0 0) surfaces, G. Shimaoka, T. Arakawa and Y. Suzuki 212–213 (2003) 694

Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872

Influence of intermediate-temperature buffer layer on flicker noise characteristics of MBE-grown GaN thin films and devices, B.H. Leung, W.K. Fong and C. Surya 212–213 (2003) 897

3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Erbium

Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815

Etching

SiC nanofibers grown by high power microwave plasma chemical vapor deposition, S.-i. Honda, Y.-G. Baek, T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 378

Si–LiG process for inductive meso systems, P.R. Barbaroto, I. Doi and L.O.S. Ferreira 212–213 (2003) 406

In situ observation of oxygen-induced anisotropic surface etching processes at 6H-SiC(0 0 0 1) by variable temperature scanning tunneling microscope, H. Okado, O. Kubo, N. Yamaoka, S. Itou, M. Katayama and K. Oura 212–213 (2003) 575

Morphology changes of Si(0 0 1) surfaces during wet chemical halogenation, L. Pedemonte, G. Bracco, A. Relini, R. Rolandi and D. Narducci 212–213 (2003) 595

On the re-oxidation of silicon(0 0 1) surfaces modified by self-assembled

monolayers, D. Narducci, L. Pedemonte and G. Bracco 212–213 (2003) 649

Europium

Photoluminescence properties of Tb^{3+} and Eu^{3+} ions hosted in TiO_2 matrix, A. Conde-Gallardo, M. García-Rocha, R. Palomino-Merino, M.P. Velásquez-Quesada and I. Hernández-Calderón 212–213 (2003) 583

Evaporation

Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166
Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224
Peculiar features in the electrical characteristics of CuPc based diodes, G. Pham, T.U. Kampen, I. Thurzo, M. Friedrich and D.R.T. Zahn 212–213 (2003) 542
EPES applied to the study of gold/alumina interfaces, B. Gruzza, C. Robert and L. Bideux 212–213 (2003) 667
Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815

Field emission

Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383

Fullerenes

Temperature-dependent interaction of C_{60} with Ge(1 1 1)-c(2 × 8), G. Bertoni, C. Cepek and M. Sancrotti 212–213 (2003) 52
Molecular orientation of C_{60} on Pt(111) determined by X-ray photoelectron diffraction, L. Giovanelli, C. Cepek, L. Floreano, E. Magnano, M. Sancrotti, R. Gotter, A. Morgante, A. Verdini, A. Pesci, L. Ferrari and M. Pedio 212–213 (2003) 57
Atomic and electronic structures of heteroepitaxial C_{60} film grown on Ni(1 1 1), Cu(1 1 1), M. Kiguchi, K.-i. Iizumi, K. Saiki and A. Koma 212–213 (2003) 101

Gallium

Ga-induced nano-facet formation on Si(1 1 *n*) surfaces, H. Nakahara, H. Suzuki, S. Miyata and A. Ichimiya 212–213 (2003) 334
Presumption and improvement for gallium oxide thin film of high temperature oxygen sensors, M. Ogita, S. Yuasa, K. Kobayashi, Y. Yamada, Y. Nakanishi and Y. Hatanaka 212–213 (2003) 397
Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644
Allowed combinations and overtones of vibrational modes in wurtzite GaN, H.W. Kunert 212–213 (2003) 890
Influence of intermediate-temperature buffer layer on flicker noise characteristics of MBE-grown GaN thin films and devices, B.H. Leung, W.K. Fong and C. Surya 212–213 (2003) 897
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Gallium arsenide

Structure of Ga-stabilized GaAs(0 0 1) surfaces at high temperatures, A. Ohtake, S. Tsukamoto, M. Pristovsek and N. Koguchi 212–213 (2003) 146
Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267
Nitridation of GaAs(1 0 0) substrates and Ga/GaAs systems studied by XPS spectroscopy, Y. Ould-Metidji, L. Bideux, D. Baca, B. Gruzza and V. Matolin 212–213 (2003) 614
Generation of ammonia plasma using a helical antenna and nitridation of GaAs surface, K. Yasui, T. Arayama, S. Okutani and T. Akahane 212–213 (2003) 619
Electron induced epitaxy of cubic ZnS on GaAs(1 0 0) surfaces, G. Shimaoka, T. Arakawa and Y. Suzuki 212–213 (2003) 694
Surface properties of chalcogen passivated GaAs(1 0 0), T.U. Kampen, D.R.T.

Zahn, W. Braun, C. González, I. Benito, J. Ortega, L. Jurczyszyn, J.M. Blanco, R. Pérez and F. Flores 212–213 (2003) 850
Chalcogen passivation of GaAs(1 0 0) surfaces: theoretical study, B. Szűcs, Z. Hajnal, Th. Frauenheim, C. González, J. Ortega, R. Pérez and F. Flores 212–213 (2003) 861

Gallium nitrides

Cathodoluminescence in-depth spectroscopy study of AlGaN/GaN heterostructures, F. Ishikawa and H. Hasegawa 212–213 (2003) 885

Germanium

Temperature-dependent interaction of C_{60} with Ge(1 1 1)-c(2 × 8), G. Bertoni, C. Cepek and M. Sancrotti 212–213 (2003) 52
Control in the initial growth stage of heteroepitaxial $Si_{1-x-y}Ge_xC_y$ on Si(0 0 1) substrates, S. Zaima, A. Sakai and Y. Yasuda 212–213 (2003) 184
Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193
Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209
Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244
Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296
Structural evolution in Ge^+ implantation amorphous Si, J.H. He, W.W. Wu, H.H. Lin, S.L. Cheng, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 325
Auto-correlation function analysis of crystallization in amorphous SiGe thin films, T.F. Chiang, W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen 212–213 (2003) 339
Atomic structures of Ag/Ge(1 1 1) $\sqrt{39} \times \sqrt{39}$ and 6 × 6 surfaces studied by STM: observations of bias dependent reconstruction transformations, H.M. Zhang and R.I.G. Uhrberg 212–213 (2003) 353
Structural stability of the Ge/Si(1 1 3)-2 × 2 surface, J. Nakamura, Z. Zhang, K. Sumitomo, H. Omi, T. Ogino and A. Natori 212–213 (2003) 724
Quantum structures in SiC, F. Bechstedt, A. Fissel, J. Furthmüller, U. Kaiser, H.-Ch. Weissker and W. Wesch 212–213 (2003) 820

Glass

Surface fracturation of glassy materials as detected by *real-time* atomic force microscopy (AFM) experiments, F. Célarié, S. Prades, D. Bonamy, A. Dickelé, E. Bouchaud, C. Guillot and C. Marlière 212–213 (2003) 92

Gold

Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166
Growth and dissolution kinetics of Au/Pb(1 1 1): an AES-LEED study, H. Oughaddou, C. Léandri, B. Aufray, C. Girardeaux, J. Bernardini, G. Le Lay, J.P. Bibérian and N. Barrett 212–213 (2003) 291
Temperature dependence of ordered cobalt nanodots growth on Au(7 8 8), G. Baudot, S. Rohart, V. Repain, H. Ellmer, Y. Girard and S. Rousset 212–213 (2003) 360
Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402
Direct comparison of the electronic coupling efficiency of sulfur and selenium alligator clips for molecules adsorbed onto gold electrodes, L. Patrone, S. Palacin and J.P. Bourgoin 212–213 (2003) 446
Scanning tunneling microscopy of locally derivatized self-assembled organic monolayers, N. Battaglini, H. Klein, Ph. Dumas, C. Moustrou and A. Samat 212–213 (2003) 481
XPS study of irradiation damage and different metal–sulfur bonds in dodecanethiol monolayers on gold and platinum surfaces, T. Laiho, J.A. Leiro and J. Lukkari 212–213 (2003) 525
EPES applied to the study of gold/alumina interfaces, B. Gruzza, C. Robert and L. Bideux 212–213 (2003) 667
Chemical analysis and optical properties of metallic nanoclusters, A. Downes and P. Dumas 212–213 (2003) 770

Gold silicon

STM and STS on single dopants and Au-induced chains at the Si(1 1 1) surface,

C. Sürgers, M. Schöck, T. Trappmann and H. v. Löhneysen 212–213 (2003) 105

Graphite

Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper, F. Plumier, E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif 212–213 (2003) 271

Halogenides

Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure, M. Kiguchi, M. Katayama, G. Yoshikawa, K. Saiki and A. Koma 212–213 (2003) 701

Electron capture kinetics at AlF_3/SiO_2 interfaces, I. Thurzo, T.U. Kampen, D.R.T. Zahn and D. König 212–213 (2003) 753

Surface-induced broadening and shift of exciton resonances in the thin film regime, N. Atenco-Analco, F. Pérez-Rodríguez and N.M. Makarov 212–213 (2003) 782

Halogens

The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636

Helogenides

Contributions to the infrared effective charges of oxides and chalcogenides from equilibrium charge and dynamic charge redistribution during normal mode motions, L.S. Sremaniak, J.L. Whitten, M. Menon and G. Lucovsky 212–213 (2003) 839

Heterostructures

Cathodoluminescence in-depth spectroscopy study of AlGaN/GaN heterostructures, F. Ishikawa and H. Hasegawa 212–213 (2003) 885

Holinium

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Hydrocarbons

Adsorption and decomposition of *t*-butylphosphine (TBP) on an InP(0 0 1)–(2 × 4)/*c*(2 × 8) surface studied by STM, TPD, and HREELS, Y. Fukuda, T. Kobayashi, T. Shirai, N. Kadotani and M. Shimomura 212–213 (2003) 329

IRRAS and LEED studies of films of the long chain *n*-alkane *n*-$C_{44}H_{90}$ on Cu (1 0 0) and Cu(1 1 0), Y. Hosoi, Y. Niwa, Y. Sakurai, H. Ishii, Y. Ouchi and K. Seki 212–213 (2003) 441

Effect of the solvent on the formation of *n*-dodecanethiol films on a polycrystalline $Ag_{90}Ni_{10}$ substrate, F. Laffineur, N. Couturier, J. Delhalle and Z. Mekhalif 212–213 (2003) 452

Scanning tunneling microscopy study of pentacene adsorption on Ag/Si(1 1 1)-($\sqrt{3} \times \sqrt{3}$)R30°, Ph. Guaino, D. Carty, G. Hughes, P. Moriarty and A.A. Cafolla 212–213 (2003) 537

Hydrogen

An innovative a-Si:H p-i-n based X-ray medical image detector for low dosage and long exposure applications, S.-S. Fann, Y.-L. Jiang and H.-L. Hwang 212–213 (2003) 765

Indium

Surface electromigration of In-covered Si high-index surfaces, K. Sakamoto, Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga 212–213 (2003) 249

Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy, T. Nakamura, K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno 212–213 (2003) 515

Indium arsenide

Surface states resonance on In-terminated InAs(0 0 1)4 × 2-c(8 × 2) clean surface, P. De Padova, P. Perfetti, C. Quaresima, C. Richter, M. Zerrouki, O. Heckmann, V. Ilakovac and K. Hricovini 212–213 (2003) 10

Atomic structure and magnetic properties of Mn on InAs(1 0 0), K. Hricovini, P.

De Padova, C. Quaresima, P. Perfetti, R. Brochier, C. Richter, V. Ilakovac, O. Heckmann, L. Lechevallier, P. Bencok, P. Le Fevre and C. Teodorescu 212–213 (2003) 17
Potassium assembled on the InAs(1 1 0) surface: from nanowires to two-dimensional layers, L. Gavioli, M. Padovani, E. Spiller, M. Sancrotti and M.G. Betti 212–213 (2003) 47
Interaction between oxygen and InAs(1 1 1) surfaces, influence of the electron accumulation layer, Szamota Leandersson K., M. Göthelid, O. Tjernberg and U.O. Karlsson 212–213 (2003) 589

Indium phosphide

Adsorption and decomposition of *t*-butylphosphine (TBP) on an InP(0 0 1)–(2 × 4)/*c*(2 × 8) surface studied by STM, TPD, and HREELS, Y. Fukuda, T. Kobayashi, T. Shirai, N. Kadotani and M. Shimomura 212–213 (2003) 329
First stages of the InP(1 0 0) surfaces nitridation studied by AES, EELS and EPES, M. Petit, Y. Ould-Metidji, Ch. Robert, L. Bideux, B. Gruzza and V. Matolin 212–213 (2003) 601

Indium tin oxide

Peculiar features in the electrical characteristics of CuPc based diodes, G. Pham, T.U. Kampen, I. Thurzo, M. Friedrich and D.R.T. Zahn 212–213 (2003) 542

Infrared spectroscopy

Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287
Silicon nitride deposited by ECR–CVD at room temperature for LOCOS isolation technology, M.A. Pereira, J.A. Diniz, I. Doi and J.W. Swart 212–213 (2003) 388
IRRAS and LEED studies of films of the long chain *n*-alkane *n*-$C_{44}H_{90}$ on Cu (1 0 0) and Cu(1 1 0), Y. Hosoi, Y. Niwa, Y. Sakurai, H. Ishii, Y. Ouchi and K. Seki 212–213 (2003) 441
On the re-oxidation of silicon(0 0 1) surfaces modified by self-assembled monolayers, D. Narducci, L. Pedemonte and G. Bracco 212–213 (2003) 649
Electropolymerized poly-4-vinylpyridine for removal of copper from wastewater, P. Viel, S. Palacin, F. Descours, C. Bureau, F. Le Derf, J. Lyskawa and M. Sallé 212–213 (2003) 792
Contributions to the infrared effective charges of oxides and chalcogenides from equilibrium charge and dynamic charge redistribution during normal mode motions, L.S. Sremaniak, J.L. Whitten, M. Menon and G. Lucovsky 212–213 (2003) 839

Interfaces

Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering, I. Busch and J. Stümpel 212–213 (2003) 201
Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy, T. Nakamura, K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno 212–213 (2003) 515
Chemical and electronic structure of SiO_2/Si interfacial transition layer, T. Hattori, K. Takahashi, M.B. Seman, H. Nohira, K. Hirose, N. Kamakura, Y. Takata, S. Shin and K. Kobayashi 212–213 (2003) 547
EPES applied to the study of gold/alumina interfaces, B. Gruzza, C. Robert and L. Bideux 212–213 (2003) 667
Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure, M. Kiguchi, M. Katayama, G. Yoshikawa, K. Saiki and A. Koma 212–213 (2003) 701
Model for defect generation at the (1 0 0) Si/SiO_2 interface during electron injection in MOS structures, M. Houssa, J.L. Autran, M.M. Heyns and A. Stesmans 212–213 (2003) 749
Electron capture kinetics at AlF_3/SiO_2 interfaces, I. Thurzo, T.U. Kampen, D.R.T. Zahn and D. König 212–213 (2003) 753

Ion bombardment

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43
He diffraction study of the time decay of ripple structures on ion bombarded Ag(1 1 0), L. Pedemonte, G. Bracco, C. Boragno, F. Buatier de Mongeot and U. Valbusa 212–213 (2003) 344
Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method, H. Dongmo, J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot 212–213 (2003) 607

3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Ion implantation

Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204

Structural evolution in Ge^+ implantation amorphous Si, J.H. He, W.W. Wu, H.H. Lin, S.L. Cheng, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 325

Initial oxynitridation of a Si(1 0 0) 2 × 1 surface by the annealing and low energy nitrogen ion exposure, K.-J. Kim, K. Ihm, C. Jeon, C.-C. Hwang, T.-H. Kang and B. Kim 212–213 (2003) 625

Ion scattering

Study of the (0 0 1) cleavage planes of guanidinium methanesulfonate single crystals by AFM and He diffraction, G. Bracco, Y. Hu, J. Acker and M.D. Ward 212–213 (2003) 151

He diffraction study of the time decay of ripple structures on ion bombarded Ag(1 1 0), L. Pedemonte, G. Bracco, C. Boragno, F. Buatier de Mongeot and U. Valbusa 212–213 (2003) 344

A structural analysis of Bi/Si(1 0 0) 2 × *n* surfaces by ICISS, N. Oishi, N. Saitoh, M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa 212–213 (2003) 373

Characterization by ion beams of surfaces and interfaces of alternative materials for future microelectronic devices, C. Krug, F.C. Stedile, C. Radtke, E.B.O. da Rosa, J. Morais, F.L. Freire Jr. and I.J.R. Baumvol 212–213 (2003) 556

Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775

Iron

Structure properties of nanostructured Fe films grown on *c*(2 × 2) N/Cu(1 0 0) self-organised surface, P. Finetti, F. Borgatti, R. Felici, R. Gunnella and S. D'Addato 212–213 (2003) 85

Surface XPS core-level shifts of FeS_2, S. Mattila, J.A. Leiro and K. Laajalehto 212–213 (2003) 97

Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166

Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204

c(4 × 8) periodicity in ultrathin iron silicides on Si(1 1 1), G. Garreau, S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri 212–213 (2003) 711

Kelvin probe techniques

Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method, H. Dongmo, J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot 212–213 (2003) 607

Laser processing

Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349

Lead

Growth and dissolution kinetics of Au/Pb(1 1 1): an AES-LEED study, H. Oughaddou, C. Léandri, B. Aufray, C. Girardeaux, J. Bernardini, G. Le Lay, J.P. Bibérian and N. Barrett 212–213 (2003) 291

Lithium

Electronic structures of unoccupied states in lithium phthalocyanine thin films of different polymorphs studied by IPES, N. Sato, H. Yoshida, K. Tsutsumi, M. Sumimoto, H. Fujimoto and S. Sakaki 212–213 (2003) 438

Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure, M. Kiguchi, M. Katayama, G. Yoshikawa, K. Saiki and A. Koma 212–213 (2003) 701

Low dimensional systems

Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices, P. Carrier, Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana 212–213 (2003) 826

Low energy diffraction

Growth and dissolution kinetics of Au/Pb(1 1 1): an AES-LEED study, H. Oughaddou, C. Léandri, B. Aufray, C. Girardeaux, J. Bernardini, G. Le Lay, J.P. Bibérian and N. Barrett 212–213 (2003) 291

Low energy electron diffraction

Temperature-dependent interaction of C_{60} with Ge(1 1 1)-c(2 × 8), G. Bertoni, C. Cepek and M. Sancrotti 212–213 (2003) 52

Structure properties of nanostructured Fe films grown on $c(2 \times 2)$ N/Cu(1 0 0) self-organised surface, P. Finetti, F. Borgatti, R. Felici, R. Gunnella and S. D'Addato 212–213 (2003) 85

Surface electromigration of In-covered Si high-index surfaces, K. Sakamoto, Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga 212–213 (2003) 249

An XPD and LEED study of highly strained ultrathin Ni films on Pd(1 0 0), M. Petukhov, G.A. Rizzi, M. Sambi and G. Granozzi 212–213 (2003) 264

A structural analysis of Bi/Si(1 0 0) $2 \times n$ surfaces by ICISS, N. Oishi, N. Saitoh, M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa 212–213 (2003) 373

IRRAS and LEED studies of films of the long chain *n*-alkane *n*-$C_{44}H_{90}$ on Cu(1 0 0) and Cu(1 1 0), Y. Hosoi, Y. Niwa, Y. Sakurai, H. Ishii, Y. Ouchi and K. Seki 212–213 (2003) 441

A metastable-induced electron spectroscopy study on the process of oxygen adsorption at a Ni(1 1 0) surface, T. Ikari, T. Kojima, K. Yamada, M. Naitoh and S. Nishigaki 212–213 (2003) 579

$c(4 \times 8)$ periodicity in ultrathin iron silicides on Si(1 1 1), G. Garreau, S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri 212–213 (2003) 711

Surface and overgrowth analysis of the II–VI compound BeTe, V. Wagner, J. Wagner, L. Hansen, S. Gundel, G. Schmidt and J. Geurts 212–213 (2003) 901

Luminescence

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122

Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296

Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349

Time-resolved photoluminescence study of excitons in thin PTCDA films at various temperatures, A.Yu. Kobitski, R. Scholz, G. Salvan, T.U. Kampen, H.P. Wagner and D.R.T. Zahn 212–213 (2003) 428

A discussion of conduction in organic light-emitting diodes, T. Mori, T. Ogawa, D.-C. Cho and T. Mizutani 212–213 (2003) 458

Photoluminescence properties of Tb^{3+} and Eu^{3+} ions hosted in TiO_2 matrix, A. Conde-Gallardo, M. García-Rocha, R. Palomino-Merino, M.P. Velásquez-Quesada and I. Hernández-Calderón 212–213 (2003) 583

Formation of silicon nano-dots in luminescent silicon nitride, Z. Pei and H.L. Hwang 212–213 (2003) 760

Cathodoluminescence in-depth spectroscopy study of AlGaN/GaN heterostructures, F. Ishikawa and H. Hasegawa 212–213 (2003) 885

Magnesium

Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224

Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Magnesium oxide

New technique to characterise thin oxide films under electronic irradiation, J. Liébault, K. Zarbout, D. Moya-Siesse, J. Bernardini and G. Moya 212–213 (2003) 809

Magnetic measurements

Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto

optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166
Interdiffusion and magnetism in Ni/Cu multilayers, A. Meunier, B. Gilles and M. Verdier 212–213 (2003) 171

Magnetism

Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166

Manganese

Atomic structure and magnetic properties of Mn on InAs(1 0 0), K. Hricovini, P. De Padova, C. Quaresima, P. Perfetti, R. Brochier, C. Richter, V. Ilakovac, O. Heckmann, L. Lechevallier, P. Bencok, P. Le Fevre and C. Teodorescu 212–213 (2003) 17
Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110
Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

Mass spectroscopy

The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636
Kinetics study of antimony adsorption on Si(1 1 1), L. Lapena, P. Müller, G. Quentel, H. Guesmi and G. Tréglia 212–213 (2003) 715

Metal oxide semiconductor structure

Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209
Model for defect generation at the (1 0 0)Si/SiO_2 interface during electron injection in MOS structures, M. Houssa, J.L. Autran, M.M. Heyns and A. Stesmans 212–213 (2003) 749

Methane

Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287

Molecular beam epitaxy

STM investigation of epitaxial Si growth for the fabrication of a Si-based quantum computer, L. Oberbeck, T. Hallam, N.J. Curson, M.Y. Simmons and R.G. Clark 212–213 (2003) 319
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872

Molecular dynamics

Relation between surface stress and (1×2) reconstruction for (1 1 0) fcc transition metal surfaces, S. Olivier, A. Saúl and G. Tréglia 212–213 (2003) 866

Molecular electronics

Direct comparison of the electronic coupling efficiency of sulfur and selenium alligator clips for molecules adsorbed onto gold electrodes, L. Patrone, S. Palacin and J.P. Bourgoin 212–213 (2003) 446

Molybdenum

Passivation of metal carbide surfaces: relevance to carbon nanotube–metal interconnections, H. Oudghiri-Hassani, E. Zahidi, M. Siaj, J. Wang and P.H. McBreen 212–213 (2003) 4
Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering, I. Busch and J. Stümpel 212–213 (2003) 201
Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402
Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy,

T. Nakamura, K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno 212–213 (2003) 515

Monte carlo simulations

EPES applied to the study of gold/alumina interfaces, B. Gruzza, C. Robert and L. Bideux 212–213 (2003) 667
Dynamics of c(4 × 2) phase-transition in Si(1 0 0) surfaces, A. Natori, M. Osanai, J. Nakamura and H. Yasunaga 212–213 (2003) 705
Segregation in ternary alloys: an interplay of driving forces, J. Luyten, S. Helfensteyn and C. Creemers 212–213 (2003) 833
Modelling surface phenomena in PdNi alloys, S. Helfensteyn, J. Luyten, L. Feyaerts and C. Creemers 212–213 (2003) 844

Multilayers

Interdiffusion and magnetism in Ni/Cu multilayers, A. Meunier, B. Gilles and M. Verdier 212–213 (2003) 171
Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering, I. Busch and J. Stümpel 212–213 (2003) 201
Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402
Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0) TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661

Nanocluster

Chemical analysis and optical properties of metallic nanoclusters, A. Downes and P. Dumas 212–213 (2003) 770

Nanostructures

Passivation of metal carbide surfaces: relevance to carbon nanotube–metal interconnections, H. Oudghiri-Hassani, E. Zahidi, M. Siaj, J. Wang and P.H. McBreen 212–213 (2003) 4
Optical manifestation of magnetoexcitons in near-surface quantum wells, B. Flores-Desirena and F. Pérez-Rodríguez 212–213 (2003) 127
III–V nanoelectronics and related surface/interface issues 212–213 (2003) 311
Ga-induced nano-facet formation on Si(1 1 *n*) surfaces, H. Nakahara, H. Suzuki, S. Miyata and A. Ichimiya 212–213 (2003) 334
Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349
Temperature dependence of ordered cobalt nanodots growth on Au(7 8 8), G. Baudot, S. Rohart, V. Repain, H. Ellmer, Y. Girard and S. Rousset 212–213 (2003) 360
The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}P_{0.08}$ diffusion barriers for copper metallization, A. Kohn, M. Eizenberg and Y. Shacham-Diamand 212–213 (2003) 367
SiC nanofibers grown by high power microwave plasma chemical vapor deposition, S.-i. Honda, Y.-G. Baek, T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 378
Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383
Highly aligned carbon nanotube arrays fabricated by bias sputtering, N. Hayashi, S.-i. Honda, K. Tsuji, K.-Y. Lee, T. Ikuno, K. Fujimoto, S. Ohkura, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 393
Formation of silicon nano-dots in luminescent silicon nitride, Z. Pei and H.L. Hwang 212–213 (2003) 760
Quantum structures in SiC, F. Bechstedt, A. Fissel, J. Furthmüller, U. Kaiser, H.-Ch. Weissker and W. Wesch 212–213 (2003) 820
Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy, E. Magnano, C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani 212–213 (2003) 879

Nickel

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43
Atomic and electronic structures of heteroepitaxial C_{60} film grown on Ni(1 1 1), Cu(1 1 1), M. Kiguchi, K.-i. Iizumi, K. Saiki and A. Koma 212–213 (2003) 101

Interdiffusion and magnetism in Ni/Cu multilayers, A. Meunier, B. Gilles and M. Verdier 212–213 (2003) 171
An XPD and LEED study of highly strained ultrathin Ni films on Pd(1 0 0), M. Petukhov, G.A. Rizzi, M. Sambi and G. Granozzi 212–213 (2003) 264
Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper, F. Plumier, E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif 212–213 (2003) 271
Effect of the solvent on the formation of *n*-dodecanethiol films on a polycrystalline $Ag_{90}Ni_{10}$ substrate, F. Laffineur, N. Couturier, J. Delhalle and Z. Mekhalif 212–213 (2003) 452
Electropolymerisation of poly(3,4-ethylene-dioxythiophene) on nickel substrates, Z. Mekhalif, F. Plumier and J. Delhalle 212–213 (2003) 472
A metastable-induced electron spectroscopy study on the process of oxygen adsorption at a Ni(1 1 0) surface, T. Ikari, T. Kojima, K. Yamada, M. Naitoh and S. Nishigaki 212–213 (2003) 579
Modelling surface phenomena in PdNi alloys, S. Helfensteyn, J. Luyten, L. Feyaerts and C. Creemers 212–213 (2003) 844
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Nickel Manganese

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78

Nitride

First stages of the InP(1 0 0) surfaces nitridation studied by AES, EELS and EPES, M. Petit, Y. Ould-Metidji, Ch. Robert, L. Bideux, B. Gruzza and V. Matolin 212–213 (2003) 601
Nitridation of GaAs(1 0 0) substrates and Ga/GaAs systems studied by XPS spectroscopy, Y. Ould-Metidji, L. Bideux, D. Baca, B. Gruzza and V. Matolin 212–213 (2003) 614
Generation of ammonia plasma using a helical antenna and nitridation of GaAs surface, K. Yasui, T. Arayama, S. Okutani and T. Akahane 212–213 (2003) 619
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644
Formation of silicon nano-dots in luminescent silicon nitride, Z. Pei and H.L. Hwang 212–213 (2003) 760
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872
Allowed combinations and overtones of vibrational modes in wurtzite GaN, H.W. Kunert 212–213 (2003) 890
Influence of intermediate-temperature buffer layer on flicker noise characteristics of MBE-grown GaN thin films and devices, B.H. Leung, W.K. Fong and C. Surya 212–213 (2003) 897
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Nitrogen

Structure properties of nanostructured Fe films grown on $c(2 \times 2)$ N/Cu(1 0 0) self-organised surface, P. Finetti, F. Borgatti, R. Felici, R. Gunnella and S. D'Addato 212–213 (2003) 85

Nuclear reactions analysis

Thermal growth of SiO_2 on SiC investigated by isotopic tracing and subnanometric depth profiling, C. Radtke, I.J.R. Baumvol, F.C. Stedile, I.C. Vickridge, I. Trimaille, J.-J. Ganem and S. Rigo 212–213 (2003) 570

Optical properties

Expression of the optical constants of chalcogenide thin films using the new parameterization dispersion model, D. Franta, I. Ohlídal, M. Frumar and J. Jedelský 212–213 (2003) 116
Optical manifestation of magnetoexcitons in near-surface quantum wells, B. Flores-Desirena and F. Pérez-Rodríguez 212–213 (2003) 127
Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L.

Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255
Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402
Orientation of perylene derivatives on semiconductor surfaces, T.U. Kampen, G. Salvan, A. Paraian, C. Himcinschi, A.Yu. Kobitski, M. Friedrich and D.R.T. Zahn 212–213 (2003) 501
Optical properties of polycrystalline and epitaxial anatase and rutile TiO_2 thin films by rf magnetron sputtering, S. Tanemura, L. Miao, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 654
Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices, P. Carrier, Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana 212–213 (2003) 826

Organic substances

Effect of end-substitution of hexyl chains on the growth and electrical properties of quaterthiophene thin films, J. Ackermann, C. Videlot, P. Raynal, A. El Kassmi and P. Dumas 212–213 (2003) 26
Study of the (0 0 1) cleavage planes of guanidinium methanesulfonate single crystals by AFM and He diffraction, G. Bracco, Y. Hu, J. Acker and M.D. Ward 212–213 (2003) 151
Transport gap of organic semiconductors in organic modified Schottky contacts, D.R.T. Zahn, T.U. Kampen and H. Méndez 212–213 (2003) 423
Time-resolved photoluminescence study of excitons in thin PTCDA films at various temperatures, A.Yu. Kobitski, R. Scholz, G. Salvan, T.U. Kampen, H.P. Wagner and D.R.T. Zahn 212–213 (2003) 428
Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433
A discussion of conduction in organic light-emitting diodes, T. Mori, T. Ogawa, D.-C. Cho and T. Mizutani 212–213 (2003) 458
Self-assembly of (3-mercaptopropyl)trimethoxysilane on polycrystalline zinc substrates towards corrosion protection, F. Sinapi, L. Forget, J. Delhalle and Z. Mekhalif 212–213 (2003) 464
Scanning tunneling microscopy of locally derivatized self-assembled organic monolayers, N. Battaglini, H. Klein, Ph. Dumas, C. Moustrou and A. Samat 212–213 (2003) 481
Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces, A.S. Komolov and P.J. Møller 212–213 (2003) 497
Orientation of perylene derivatives on semiconductor surfaces, T.U. Kampen, G. Salvan, A. Paraian, C. Himcinschi, A.Yu. Kobitski, M. Friedrich and D.R.T. Zahn 212–213 (2003) 501
Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy, T. Nakamura, K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno 212–213 (2003) 515
Raman analysis of first monolayers of PTCDA on Ag(1 1 1), V. Wagner, T. Muck, J. Geurts, M. Schneider and E. Umbach 212–213 (2003) 520
Comparative study of the monolayers of CH_3–$(CH_2)_n$–$SiCl_3$ and CH_3–$(CH_2)_n$–$PO(OH)_2$, n = 4 and 13, adsorbed on polycrystalline titanium substrates, G. Philippin, J. Delhalle and Z. Mekhalif 212–213 (2003) 530
Scanning tunneling microscopy study of pentacene adsorption on Ag/Si(1 1 1)-$(\sqrt{3} \times \sqrt{3})R30°$, Ph. Guaino, D. Carty, G. Hughes, P. Moriarty and A.A. Cafolla 212–213 (2003) 537

Oxidation

Silicon nitride deposited by ECR–CVD at room temperature for LOCOS isolation technology, M.A. Pereira, J.A. Diniz, I. Doi and J.W. Swart 212–213 (2003) 388
Thermal growth of SiO_2 on SiC investigated by isotopic tracing and subnanometric depth profiling, C. Radtke, I.J.R. Baumvol, F.C. Stedile, I.C. Vickridge, I. Trimaille, J.-J. Ganem and S. Rigo 212–213 (2003) 570
The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636
On the re-oxidation of silicon(0 0 1) surfaces modified by self-assembled monolayers, D. Narducci, L. Pedemonte and G. Bracco 212–213 (2003) 649

Oxides

Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62

Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67
Presumption and improvement for gallium oxide thin film of high temperature oxygen sensors, M. Ogita, S. Yuasa, K. Kobayashi, Y. Yamada, Y. Nakanishi and Y. Hatanaka 212–213 (2003) 397
Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563
Direct image observation of the initial forming of passive thin film on stainless steel surface by PEEM, T.-H. Kang, K. Ihm, C.-C. Hwang, C. Jeon, K.-j. Kim, J.-Y. Kim, M.-K. Lee, H.-J. Shin, B. Kim, S. Chung and C.-Y. Park 212–213 (2003) 630
Model for defect generation at the (1 0 0) Si/SiO_2 interface during electron injection in MOS structures, M. Houssa, J.L. Autran, M.M. Heyns and A. Stesmans 212–213 (2003) 749
Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815
Contributions to the infrared effective charges of oxides and chalcogenides from equilibrium charge and dynamic charge redistribution during normal mode motions, L.S. Sremaniak, J.L. Whitten, M. Menon and G. Lucovsky 212–213 (2003) 839

Oxynitrides

Initial oxynitridation of a Si(1 0 0) 2 × 1 surface by the annealing and low energy nitrogen ion exposure, K.-J. Kim, K. Ihm, C. Jeon, C.-C. Hwang, T.-H. Kang and B. Kim 212–213 (2003) 625

Oxygen

Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces, A.S. Komolov and P.J. Møller 212–213 (2003) 497
In situ observation of oxygen-induced anisotropic surface etching processes at 6H-SiC(0 0 0 1) by variable temperature scanning tunneling microscope, H. Okado, O. Kubo, N. Yamaoka, S. Itou, M. Katayama and K. Oura 212–213 (2003) 575
A metastable-induced electron spectroscopy study on the process of oxygen adsorption at a Ni(1 1 0) surface, T. Ikari, T. Kojima, K. Yamada, M. Naitoh and S. Nishigaki 212–213 (2003) 579
Interaction between oxygen and InAs(1 1 1) surfaces, influence of the electron accumulation layer, Szamota Leandersson K., M. Göthelid, O. Tjernberg and U.O. Karlsson 212–213 (2003) 589

Palladium

An XPD and LEED study of highly strained ultrathin Ni films on Pd(1 0 0), M. Petukhov, G.A. Rizzi, M. Sambi and G. Granozzi 212–213 (2003) 264
The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}P_{0.08}$ diffusion barriers for copper metallization, A. Kohn, M. Eizenberg and Y. Shacham-Diamand 212–213 (2003) 367
Reactions of iodobenzene on Pd(1 1 1) and Pd(1 1 0), H. von Schenck, J. Weissenrieder, S. Helldén, B. Åkermark and M. Göthelid 212–213 (2003) 508
Modelling surface phenomena in PdNi alloys, S. Helfensteyn, J. Luyten, L. Feyaerts and C. Creemers 212–213 (2003) 844

Phase transition

Thermo-coloration of SmS thin flims by XPS in situ observation, Y. Mori, S. Tanemura, S. Koide, Y. Senzaki, P. Jin, K. Kaneko, A. Terai and N. Nabotova-Gabin 212–213 (2003) 38
Dynamics of c(4 × 2) phase-transition in Si(1 0 0) surfaces, A. Natori, M. Osanai, J. Nakamura and H. Yasunaga 212–213 (2003) 705

Phosphorus

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679
Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815

Photo chemistry

Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775

Photo conductivity

Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces, A.S. Komolov and P.J. Møller 212–213 (2003) 497

Photoelectron spectroscopy

Passivation of metal carbide surfaces: relevance to carbon nanotube–metal interconnections, H. Oudghiri-Hassani, E. Zahidi, M. Siaj, J. Wang and P.H. McBreen 212–213 (2003) 4

Surface states resonance on In-terminated InAs(0 0 1)4 × 2-c(8 × 2) clean surface, P. De Padova, P. Perfetti, C. Quaresima, C. Richter, M. Zerrouki, O. Heckmann, V. Ilakovac and K. Hricovini 212–213 (2003) 10

Interplay between surface and electronic structures in epitaxial Ag ultra thin films on Cu(111), A. Bendounan, H. Cercellier, Y. Fagot-Revurat, B. Kierren, V. Yu Yurov and D. Malterre 212–213 (2003) 33

Thermo-coloration of SmS thin flims by XPS in situ observation, Y. Mori, S. Tanemura, S. Koide, Y. Senzaki, P. Jin, K. Kaneko, A. Terai and N. Nabotova-Gabin 212–213 (2003) 38

Temperature-dependent interaction of C_{60} with Ge(1 1 1)-c(2 × 8), G. Bertoni, C. Cepek and M. Sancrotti 212–213 (2003) 52

Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62

Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67

Surface XPS core-level shifts of FeS_2, S. Mattila, J.A. Leiro and K. Laajalehto 212–213 (2003) 97

Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193

Electrolytic co-deposition of a nickel/fluorographite composite layer on polycrystalline copper, F. Plumier, E. Chassaing, G. Terwagne, J. Delhalle and Z. Mekhalif 212–213 (2003) 271

Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279

Transport gap of organic semiconductors in organic modified Schottky contacts, D.R.T. Zahn, T.U. Kampen and H. Méndez 212–213 (2003) 423

Effect of the solvent on the formation of *n*-dodecanethiol films on a polycrystalline $Ag_{90}Ni_{10}$ substrate, F. Laffineur, N. Couturier, J. Delhalle and Z. Mekhalif 212–213 (2003) 452

Self-assembly of (3-mercaptopropyl)trimethoxysilane on polycrystalline zinc substrates towards corrosion protection, F. Sinapi, L. Forget, J. Delhalle and Z. Mekhalif 212–213 (2003) 464

Electropolymerisation of poly(3,4-ethylene-dioxythiophene) on nickel substrates, Z. Mekhalif, F. Plumier and J. Delhalle 212–213 (2003) 472

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Reactions of iodobenzene on Pd(1 1 1) and Pd(1 1 0), H. von Schenck, J. Weissenrieder, S. Helldén, B. Åkermark and M. Göthelid 212–213 (2003) 508

XPS study of irradiation damage and different metal–sulfur bonds in dodecanethiol monolayers on gold and platinum surfaces, T. Laiho, J.A. Leiro and J. Lukkari 212–213 (2003) 525

Comparative study of the monolayers of CH_3–$(CH_2)_n$–$SiCl_3$ and CH_3–$(CH_2)_n$–$PO(OH)_2$, n = 4 and 13, adsorbed on polycrystalline titanium substrates, G. Philippin, J. Delhalle and Z. Mekhalif 212–213 (2003) 530

Chemical and electronic structure of SiO_2/Si interfacial transition layer, T. Hattori, K. Takahashi, M.B. Seman, H. Nohira, K. Hirose, N. Kamakura, Y. Takata, S. Shin and K. Kobayashi 212–213 (2003) 547

Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic

devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563
Interaction between oxygen and InAs(1 1 1) surfaces, influence of the electron accumulation layer, Szamota Leandersson K., M. Göthelid, O. Tjernberg and U.O. Karlsson 212–213 (2003) 589
Nitridation of GaAs(1 0 0) substrates and Ga/GaAs systems studied by XPS spectroscopy, Y. Ould-Metidji, L. Bideux, D. Baca, B. Gruzza and V. Matolin 212–213 (2003) 614
Initial oxynitridation of a Si(1 0 0) 2 × 1 surface by the annealing and low energy nitrogen ion exposure, K.-J. Kim, K. Ihm, C. Jeon, C.-C. Hwang, T.-H. Kang and B. Kim 212–213 (2003) 625
Direct image observation of the initial forming of passive thin film on stainless steel surface by PEEM, T.-H. Kang, K. Ihm, C.-C. Hwang, C. Jeon, K.-j. Kim, J.-Y. Kim, M.-K. Lee, H.-J. Shin, B. Kim, S. Chung and C.-Y. Park 212–213 (2003) 630
The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636
Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730
Formation of silicon nano-dots in luminescent silicon nitride, Z. Pei and H.L. Hwang 212–213 (2003) 760
Electropolymerized poly-4-vinylpyridine for removal of copper from wastewater, P. Viel, S. Palacin, F. Descours, C. Bureau, F. Le Derf, J. Lyskawa and M. Sallé 212–213 (2003) 792
Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy, E. Magnano, C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani 212–213 (2003) 879

Photoemission

Electronic structures of unoccupied states in lithium phthalocyanine thin films of different polymorphs studied by IPES, N. Sato, H. Yoshida, K. Tsutsumi, M. Sumimoto, H. Fujimoto and S. Sakaki 212–213 (2003) 438

Photoemission spectroscopy

Surface properties of chalcogen passivated GaAs(1 0 0), T.U. Kampen, D.R.T. Zahn, W. Braun, C. González, I. Benito, J. Ortega, L. Jurczyszyn, J.M. Blanco, R. Pérez and F. Flores 212–213 (2003) 850

Photovoltaic effects

Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305
An innovative a-Si:H p-i-n based X-ray medical image detector for low dosage and long exposure applications, S.-S. Fann, Y.-L. Jiang and H.-L. Hwang 212–213 (2003) 765

Plasma processing

Si atomic layer-by-layer epitaxial growth process using alternate exposure of Si(1 0 0) to SiH_4 and to Ar plasma, M. Sakuraba, D. Muto, T. Seino and J. Murota 212–213 (2003) 197
Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563
Generation of ammonia plasma using a helical antenna and nitridation of GaAs surface, K. Yasui, T. Arayama, S. Okutani and T. Akahane 212–213 (2003) 619
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644
Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition, P. Jonnard, J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant 212–213 (2003) 674
Influence of intermediate-temperature buffer layer on flicker noise characteristics of MBE-grown GaN thin films and devices, B.H. Leung, W.K. Fong and C. Surya 212–213 (2003) 897

Plasmons

Inelastic electron analysis in reflection high-energy electron diffraction condition, H. Nakahara, T. Hishida and A. Ichimiya 212–213 (2003) 157

Platinum

Molecular orientation of C_{60} on Pt(111) determined by X-ray photoelectron diffraction, L. Giovanelli, C. Cepek, L. Floreano, E. Magnano, M. Sancrotti, R. Gotter, A. Morgante, A. Verdini, A. Pesci, L. Ferrari and M. Pedio 212–213 (2003) 57

Platinum sulphur

XPS study of irradiation damage and different metal–sulfur bonds in dodecanethiol monolayers on gold and platinum surfaces, T. Laiho, J.A. Leiro and J. Lukkari 212–213 (2003) 525

Polymers

Micro-patterning of self-supporting layers with conducting polymer wires for 3D-chip interconnection applications, J. Ackermann, C. Videlot, T.N. Nguyen, L. Wang, P.M. Sarro, D. Crawley, K. Nikolić and M. Forshaw 212–213 (2003) 411

Electropolymerisation of poly(3,4-ethylene-dioxythiophene) on nickel substrates, Z. Mekhalif, F. Plumier and J. Delhalle 212–213 (2003) 472

Electropolymerized poly-4-vinylpyridine for removal of copper from wastewater, P. Viel, S. Palacin, F. Descours, C. Bureau, F. Le Derf, J. Lyskawa and M. Sallé 212–213 (2003) 792

Pulsed laser deposition

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78

Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349

Quantum effects

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122

Optical manifestation of magnetoexcitons in near-surface quantum wells, B. Flores-Desirena and F. Pérez-Rodríguez 212–213 (2003) 127

Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296

III–V nanoelectronics and related surface/interface issues 212–213 (2003) 311

STM investigation of epitaxial Si growth for the fabrication of a Si-based quantum computer, L. Oberbeck, T. Hallam, N.J. Curson, M.Y. Simmons and R.G. Clark 212–213 (2003) 319

Quantum structures in SiC, F. Bechstedt, A. Fissel, J. Furthmüller, U. Kaiser, H.-Ch. Weissker and W. Wesch 212–213 (2003) 820

Transport properties of magnetic atom bridges controlled by a scanning tunneling microscope, H. Nakanishi, T. Kishi, H. Kasai, F. Komori and A. Okiji 212–213 (2003) 829

Quantum wells

Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices, P. Carrier, Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana 212–213 (2003) 826

Radiation damage

XPS study of irradiation damage and different metal–sulfur bonds in dodecanethiol monolayers on gold and platinum surfaces, T. Laiho, J.A. Leiro and J. Lukkari 212–213 (2003) 525

Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method, H. Dongmo, J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot 212–213 (2003) 607

Raman scattering

Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287

Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433

Orientation of perylene derivatives on semiconductor surfaces, T.U. Kampen, G. Salvan, A. Paraian, C. Himcinschi, A.Yu. Kobitski, M. Friedrich and D.R.T. Zahn 212–213 (2003) 501

Raman analysis of first monolayers of PTCDA on Ag(111), V. Wagner, T.

Muck, J. Geurts, M. Schneider and E. Umbach 212–213 (2003) 520
Contributions to the infrared effective charges of oxides and chalcogenides from equilibrium charge and dynamic charge redistribution during normal mode motions, L.S. Sremaniak, J.L. Whitten, M. Menon and G. Lucovsky 212–213 (2003) 839
Allowed combinations and overtones of vibrational modes in wurtzite GaN, H.W. Kunert 212–213 (2003) 890
Surface and overgrowth analysis of the II–VI compound BeTe, V. Wagner, J. Wagner, L. Hansen, S. Gundel, G. Schmidt and J. Geurts 212–213 (2003) 901

Scanning force microscopy

Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method, H. Dongmo, J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot 212–213 (2003) 607

Scanning tunneling microscopy

Interplay between surface and electronic structures in epitaxial Ag ultra thin films on Cu(111), A. Bendounan, H. Cercellier, Y. Fagot-Revurat, B. Kierren, V. Yu Yurov and D. Malterre 212–213 (2003) 33
Potassium assembled on the InAs(1 1 0) surface: from nanowires to two-dimensional layers, L. Gavioli, M. Padovani, E. Spiller, M. Sancrotti and M.G. Betti 212–213 (2003) 47
STM and STS on single dopants and Au-induced chains at the Si(1 1 1) surface, C. Sürgers, M. Schöck, T. Trappmann and H. v. Löhneysen 212–213 (2003) 105
Atomic structure and formation process of the Si(1 1 1)–Sb($\sqrt{7} \times \sqrt{7}$) surface phase, D. Gruznev, B.V. Rao, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama 212–213 (2003) 135
Control in the initial growth stage of heteroepitaxial $Si_{1-x-y}Ge_xC_y$ on Si(0 0 1) substrates, S. Zaima, A. Sakai and Y. Yasuda 212–213 (2003) 184
III–V nanoelectronics and related surface/interface issues 212–213 (2003) 311
STM investigation of epitaxial Si growth for the fabrication of a Si-based quantum computer, L. Oberbeck, T. Hallam, N.J. Curson, M.Y. Simmons and R.G. Clark 212–213 (2003) 319
Adsorption and decomposition of *t*-butylphosphine (TBP) on an InP(0 0 1)–(2 × 4)/*c*(2 × 8) surface studied by STM, TPD, and HREELS, Y. Fukuda, T. Kobayashi, T. Shirai, N. Kadotani and M. Shimomura 212–213 (2003) 329
Ga-induced nano-facet formation on Si(1 1 *n*) surfaces, H. Nakahara, H. Suzuki, S. Miyata and A. Ichimiya 212–213 (2003) 334
Atomic structures of Ag/Ge(1 1 1) $\sqrt{39} \times \sqrt{39}$ and 6 × 6 surfaces studied by STM: observations of bias dependent reconstruction transformations, H.M. Zhang and R.I.G. Uhrberg 212–213 (2003) 353
Temperature dependence of ordered cobalt nanodots growth on Au(7 8 8), G. Baudot, S. Rohart, V. Repain, H. Ellmer, Y. Girard and S. Rousset 212–213 (2003) 360
Direct comparison of the electronic coupling efficiency of sulfur and selenium alligator clips for molecules adsorbed onto gold electrodes, L. Patrone, S. Palacin and J.P. Bourgoin 212–213 (2003) 446
Scanning tunneling microscopy of locally derivatized self-assembled organic monolayers, N. Battaglini, H. Klein, Ph. Dumas, C. Moustrou and A. Samat 212–213 (2003) 481
Scanning tunneling microscopy study of pentacene adsorption on Ag/Si(1 1 1)-($\sqrt{3} \times \sqrt{3}$)R30°, Ph. Guaino, D. Carty, G. Hughes, P. Moriarty and A.A. Cafolla 212–213 (2003) 537
In situ observation of oxygen-induced anisotropic surface etching processes at 6H-SiC(0 0 0 1) by variable temperature scanning tunneling microscope, H. Okado, O. Kubo, N. Yamaoka, S. Itou, M. Katayama and K. Oura 212–213 (2003) 575
c(4 × 8) periodicity in ultrathin iron silicides on Si(1 1 1), G. Garreau, S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri 212–213 (2003) 711
Chemical analysis and optical properties of metallic nanoclusters, A. Downes and P. Dumas 212–213 (2003) 770
Transport properties of magnetic atom bridges controlled by a scanning tunneling microscope, H. Nakanishi, T. Kishi, H. Kasai, F. Komori and A. Okiji 212–213 (2003) 829

Scanning tunneling spectroscopy

STM and STS on single dopants and Au-induced chains at the Si(1 1 1) surface, C. Sürgers, M. Schöck, T. Trappmann and H. v. Löhneysen 212–213 (2003) 105
III–V nanoelectronics and related surface/interface issues 212–213 (2003) 311

Schottky bariers

III–V nanoelectronics and related surface/interface issues 212–213 (2003) 311

Transport gap of organic semiconductors in organic modified Schottky contacts, D.R.T. Zahn, T.U. Kampen and H. Méndez 212–213 (2003) 423

Secondary ion mass spectroscopy

The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}P_{0.08}$ diffusion barriers for copper metallization, A. Kohn, M. Eizenberg and Y. Shacham-Diamand 212–213 (2003) 367
The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636
Ohmic contact to p-type GaN using a novel Ni/Cu scheme, S.H. Liu, J.M. Hwang, Z.H. Hwang, W.H. Hung and H.L. Hwang 212–213 (2003) 907

Selenium

Direct comparison of the electronic coupling efficiency of sulfur and selenium alligator clips for molecules adsorbed onto gold electrodes, L. Patrone, S. Palacin and J.P. Bourgoin 212–213 (2003) 446
Chalcogen passivation of GaAs(1 0 0) surfaces: theoretical study, B. Szűcs, Z. Hajnal, Th. Frauenheim, C. González, J. Ortega, R. Pérez and F. Flores 212–213 (2003) 861

Semarium

Thermo-coloration of SmS thin flims by XPS in situ observation, Y. Mori, S. Tanemura, S. Koide, Y. Senzaki, P. Jin, K. Kaneko, A. Terai and N. Nabotova-Gabin 212–213 (2003) 38
Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279

Semiconductors

Transport gap of organic semiconductors in organic modified Schottky contacts, D.R.T. Zahn, T.U. Kampen and H. Méndez 212–213 (2003) 423
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644

Silane

Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730

Silicides

Surface XPS core-level shifts of FeS_2, S. Mattila, J.A. Leiro and K. Laajalehto 212–213 (2003) 97
Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204
$c(4 \times 8)$ periodicity in ultrathin iron silicides on Si(1 1 1), G. Garreau, S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri 212–213 (2003) 711

Silicon

Atomic structure and formation process of the Si(1 1 1)–Sb($\sqrt{7} \times \sqrt{7}$) surface phase, D. Gruznev, B.V. Rao, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama 212–213 (2003) 135
Inelastic electron analysis in reflection high-energy electron diffraction condition, H. Nakahara, T. Hishida and A. Ichimiya 212–213 (2003) 157
Control in the initial growth stage of heteroepitaxial $Si_{1-x-y}Ge_xC_y$ on Si(0 0 1) substrates, S. Zaima, A. Sakai and Y. Yasuda 212–213 (2003) 184
Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193
Si atomic layer-by-layer epitaxial growth process using alternate exposure of Si(1 0 0) to SiH_4 and to Ar plasma, M. Sakuraba, D. Muto, T. Seino and J. Murota 212–213 (2003) 197
Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering, I. Busch and J. Stümpel 212–213 (2003) 201
Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209
Si(1 1 1) step fluctuations in reflection electron microscopy at 1100 °C: anomalous step–step repulsion, R.D.

Schroll, S.D. Cohen, T.L. Einstein, J.-J. Métois, H. Gebremariam, H.L. Richards and E.D. Williams 212–213 (2003) 219
Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244
Surface electromigration of In-covered Si high-index surfaces, K. Sakamoto, Y. Matsubayashi, M. Shimada, T. Yamada, A. Natori and H. Yasunaga 212–213 (2003) 249
Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296
STM investigation of epitaxial Si growth for the fabrication of a Si-based quantum computer, L. Oberbeck, T. Hallam, N.J. Curson, M.Y. Simmons and R.G. Clark 212–213 (2003) 319
Structural evolution in Ge^+ implantation amorphous Si, J.H. He, W.W. Wu, H.H. Lin, S.L. Cheng, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 325
Ga-induced nano-facet formation on Si(1 1 *n*) surfaces, H. Nakahara, H. Suzuki, S. Miyata and A. Ichimiya 212–213 (2003) 334
Auto-correlation function analysis of crystallization in amorphous SiGe thin films, T.F. Chiang, W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen 212–213 (2003) 339
A structural analysis of Bi/Si(1 0 0) $2 \times n$ surfaces by ICISS, N. Oishi, N. Saitoh, M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa 212–213 (2003) 373
Si–LiG process for inductive meso systems, P.R. Barbaroto, I. Doi and L.O.S. Ferreira 212–213 (2003) 406
Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433
Investigation of gas–surface interactions at self-assembled silicon surfaces acting as gas sensors, D. Narducci, P. Bernardinello and M. Oldani 212–213 (2003) 491
Scanning tunneling microscopy study of pentacene adsorption on Ag/Si(1 1 1)-$(\sqrt{3} \times \sqrt{3})$R30°, Ph. Guaino, D. Carty, G. Hughes, P. Moriarty and A.A. Cafolla 212–213 (2003) 537
Chemical and electronic structure of SiO_2/Si interfacial transition layer, T. Hattori, K. Takahashi, M.B. Seman, H. Nohira, K. Hirose, N. Kamakura, Y. Takata, S. Shin and K. Kobayashi 212–213 (2003) 547
Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563
Morphology changes of Si(0 0 1) surfaces during wet chemical halogenation, L. Pedemonte, G. Bracco, A. Relini, R. Rolandi and D. Narducci 212–213 (2003) 595
Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method, H. Dongmo, J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot 212–213 (2003) 607
Initial oxynitridation of a Si(1 0 0) 2×1 surface by the annealing and low energy nitrogen ion exposure, K.-J. Kim, K. Ihm, C. Jeon, C.-C. Hwang, T.-H. Kang and B. Kim 212–213 (2003) 625
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644
On the re-oxidation of silicon(0 0 1) surfaces modified by self-assembled monolayers, D. Narducci, L. Pedemonte and G. Bracco 212–213 (2003) 649
Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition, P. Jonnard, J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant 212–213 (2003) 674
W delta doping in Si(1 0 0) using ultraclean low-pressure CVD, T. Kanaya, M. Sakuraba and J. Murota 212–213 (2003) 684
Dynamics of c(4 × 2) phase-transition in Si(1 0 0) surfaces, A. Natori, M. Osanai, J. Nakamura and H. Yasunaga 212–213 (2003) 705
Kinetics study of antimony adsorption on Si(1 1 1), L. Lapena, P. Müller, G. Quentel, H. Guesmi and G. Tréglia 212–213 (2003) 715
Structural stability of the Ge/Si(1 1 3)-2×2 surface, J. Nakamura, Z. Zhang, K. Sumitomo, H. Omi, T. Ogino and A. Natori 212–213 (2003) 724
Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730
Strain effects in device processing of silicon-on-insulator materials, J. Camassel and A. Tiberj 212–213 (2003) 742
Model for defect generation at the (1 0 0) Si/SiO_2 interface during electron injection in MOS structures, M. Houssa, J.L. Autran, M.M. Heyns and A. Stesmans 212–213 (2003) 749
Formation of silicon nano-dots in luminescent silicon nitride, Z. Pei and H.L. Hwang 212–213 (2003) 760
An innovative a-Si:H p-i-n based X-ray medical image detector for low dosage and long exposure applications, S.-S. Fann, Y.-L. Jiang and H.-L. Hwang 212–213 (2003) 765

Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices, P. Carrier, Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana 212–213 (2003) 826
Epitaxial growth of the pseudo-binary wide band gap semiconductor SiCAlN, R. Roucka, J. Tolle, A.V.G. Chizmeshya, P.A. Crozier, C.D. Poweleit, D.J. Smith, J. Kouvetakis and I.S.T. Tsong 212–213 (2003) 872
Comparison of classical and BEN nucleation studied on thinned Si (1 1 1) samples: a HRTEM study, J.C. Arnault, S. Pecoraro, F. Le Normand and J. Werckmann 212–213 (2003) 912

Silicon carbide

Vapor phase techniques for the fabrication of homoepitaxial layers of silicon carbide: process modeling and characterization, M. Pons, F. Baillet, E. Blanquet, E. Pernot, R. Madar, D. Chaussende, M. Mermoux, L. Di Cioccio, P. Ferret, G. Feuillet, C. Faure and Th. Billon 212–213 (2003) 177
Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287
SiC nanofibers grown by high power microwave plasma chemical vapor deposition, S.-i. Honda, Y.-G. Baek, T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 378
Characterization by ion beams of surfaces and interfaces of alternative materials for future microelectronic devices, C. Krug, F.C. Stedile, C. Radtke, E.B.O. da Rosa, J. Morais, F.L. Freire Jr. and I.J.R. Baumvol 212–213 (2003) 556
Thermal growth of SiO_2 on SiC investigated by isotopic tracing and subnanometric depth profiling, C. Radtke, I.J.R. Baumvol, F.C. Stedile, I.C. Vickridge, I. Trimaille, J.-J. Ganem and S. Rigo 212–213 (2003) 570
In situ observation of oxygen-induced anisotropic surface etching processes at 6H-SiC(0 0 0 1) by variable temperature scanning tunneling microscope, H. Okado, O. Kubo, N. Yamaoka, S. Itou, M. Katayama and K. Oura 212–213 (2003) 575
The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636
Oxide formation and passivation for micro- and nano-electronic devices, C. Bae and G. Lucovsky 212–213 (2003) 644
Si $c(4 \times 4)$ structure appeared in the initial stage of 3C-SiC epitaxial growth on Si(0 0 1) using monomethylsilane and dimethylsilane, Y. Narita, T. Inubushi, K. Yasui and T. Akahane 212–213 (2003) 730
Quantum structures in SiC, F. Bechstedt, A. Fissel, J. Furthmüller, U. Kaiser, H.-Ch. Weissker and W. Wesch 212–213 (2003) 820
Thermally induced changes in cluster-assembled carbon nanocluster films observed via photoelectron spectroscopy, E. Magnano, C. Cepek, M. Sancrotti, F. Siviero, S. Vinati, C. Lenardi, E. Barborini, P. Piseri and P. Milani 212–213 (2003) 879
3C-SiC thin epilayer formation at low temperature using ion beams, N. Tsubouchi, A. Chayahara, Y. Mokuno, A. Kinomura and Y. Horino 212–213 (2003) 920

Silicon dioxide

Role of interface suboxide Si atoms on the electronic properties of Si/SiO_2 superlattices, P. Carrier, Z.-H. Lu, L.J. Lewis and M.W.C. Dharma-wardana 212–213 (2003) 826

Silicon germanium

Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679

Silicon nitride

Silicon nitride deposited by ECR–CVD at room temperature for LOCOS isolation technology, M.A. Pereira, J.A. Diniz, I. Doi and J.W. Swart 212–213 (2003) 388
Strain effects in device processing of silicon-on-insulator materials, J. Camassel and A. Tiberj 212–213 (2003) 742
An innovative a-Si:H p-i-n based X-ray medical image detector for low dosage and long exposure applications, S.-S. Fann, Y.-L. Jiang and H.-L. Hwang 212–213 (2003) 765

Silicon oxide

Chemical and electronic structure of SiO_2/Si interfacial transition layer, T. Hattori, K. Takahashi, M.B. Seman, H.

Nohira, K. Hirose, N. Kamakura, Y. Takata, S. Shin and K. Kobayashi 212–213 (2003) 547
Thermal growth of SiO_2 on SiC investigated by isotopic tracing and subnanometric depth profiling, C. Radtke, I.J.R. Baumvol, F.C. Stedile, I.C. Vickridge, I. Trimaille, J.-J. Ganem and S. Rigo 212–213 (2003) 570
Electrical characterization of charges in irradiated oxides by electrostatic force microscopy and Kelvin method, H. Dongmo, J.F. Carlotti, G. Bruguier, C. Guasch, J. Bonnet and J. Gasiot 212–213 (2003) 607
Strain effects in device processing of silicon-on-insulator materials, J. Camassel and A. Tiberj 212–213 (2003) 742
Model for defect generation at the (1 0 0)Si/SiO_2 interface during electron injection in MOS structures, M. Houssa, J.L. Autran, M.M. Heyns and A. Stesmans 212–213 (2003) 749
Electron capture kinetics at AlF_3/SiO_2 interfaces, I. Thurzo, T.U. Kampen, D.R.T. Zahn and D. König 212–213 (2003) 753

Silver

Interplay between surface and electronic structures in epitaxial Ag ultra thin films on Cu(111), A. Bendounan, H. Cercellier, Y. Fagot-Revurat, B. Kierren, V. Yu Yurov and D. Malterre 212–213 (2003) 33
Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224
He diffraction study of the time decay of ripple structures on ion bombarded Ag(1 1 0), L. Pedemonte, G. Bracco, C. Boragno, F. Buatier de Mongeot and U. Valbusa 212–213 (2003) 344
Atomic structures of Ag/Ge(1 1 1) $\sqrt{39} \times \sqrt{39}$ and 6×6 surfaces studied by STM: observations of bias dependent reconstruction transformations, H.M. Zhang and R.I.G. Uhrberg 212–213 (2003) 353
Effect of the solvent on the formation of *n*-dodecanethiol films on a polycrystalline $Ag_{90}Ni_{10}$ substrate, F. Laffineur, N. Couturier, J. Delhalle and Z. Mekhalif 212–213 (2003) 452
Raman analysis of first monolayers of PTCDA on Ag(111), V. Wagner, T. Muck, J. Geurts, M. Schneider and E. Umbach 212–213 (2003) 520
Scanning tunneling microscopy study of pentacene adsorption on Ag/Si(1 1 1)-($\sqrt{3} \times \sqrt{3}$)R30°, Ph. Guaino, D. Carty, G. Hughes, P. Moriarty and A.A. Cafolla 212–213 (2003) 537
Chemical analysis and optical properties of metallic nanoclusters, A. Downes and P. Dumas 212–213 (2003) 770

Sputter deposition

Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering, I. Busch and J. Stümpel 212–213 (2003) 201
Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244
Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L. Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255
Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279
Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305
Highly aligned carbon nanotube arrays fabricated by bias sputtering, N. Hayashi, S.-i. Honda, K. Tsuji, K.-Y. Lee, T. Ikuno, K. Fujimoto, S. Ohkura, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 393
Transparent ellipsometric memory with thin film multilayer structures. Optical memory based on the ellipsometric principle, M. Tazawa, G. Xu and P. Jin 212–213 (2003) 402
Optical properties of polycrystalline and epitaxial anatase and rutile TiO_2 thin films by rf magnetron sputtering, S. Tanemura, L. Miao, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 654
Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775

Sputtering

Structural transitions at the surface of the decagonal quasicrystal Al–Co–Ni, T. Flückiger, T. Michlmayr, C. Biely, R. Lüscher and M. Erbudak 212–213 (2003) 43

Highly aligned carbon nanotube arrays fabricated by bias sputtering, N. Hayashi, S.-i. Honda, K. Tsuji, K.-Y. Lee, T. Ikuno, K. Fujimoto, S. Ohkura, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 393

Steel

Direct image observation of the initial forming of passive thin film on stainless steel surface by PEEM, T.-H. Kang, K. Ihm, C.-C. Hwang, C. Jeon, K.-j. Kim, J.-Y. Kim, M.-K. Lee, H.-J. Shin, B. Kim, S. Chung and C.-Y. Park 212–213 (2003) 630

Strontium

Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62

Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67

Sulphides

Thermo-coloration of SmS thin flims by XPS in situ observation, Y. Mori, S. Tanemura, S. Koide, Y. Senzaki, P. Jin, K. Kaneko, A. Terai and N. Nabotova-Gabin 212–213 (2003) 38

Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305

Photoconductivity and oxygen adsorption of Cu-phthalocyanine thin films on cadmium sulphide surfaces, A.S. Komolov and P.J. Møller 212–213 (2003) 497

Low-energy molecular exciton in indium/perylene-3,4,9,10-tetracarboxylic dianhydride system observed by electronic energy loss spectroscopy, T. Nakamura, K. Iwasawa, S. Kera, Y. Azuma, K.K. Okudaira and N. Ueno 212–213 (2003) 515

Electron induced epitaxy of cubic ZnS on GaAs(1 0 0) surfaces, G. Shimaoka, T. Arakawa and Y. Suzuki 212–213 (2003) 694

Sulphur

Direct comparison of the electronic coupling efficiency of sulfur and selenium alligator clips for molecules adsorbed onto gold electrodes, L. Patrone, S. Palacin and J.P. Bourgoin 212–213 (2003) 446

Self-assembly of (3-mercaptopropyl)trimethoxysilane on polycrystalline zinc substrates towards corrosion protection, F. Sinapi, L. Forget, J. Delhalle and Z. Mekhalif 212–213 (2003) 464

Chalcogen passivation of GaAs(1 0 0) surfaces: theoretical study, B. Szűcs, Z. Hajnal, Th. Frauenheim, C. González, J. Ortega, R. Pérez and F. Flores 212–213 (2003) 861

Superconductivity

Matrix element effects on the Fermi surface mapping by angle resolved photoemission from $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors, L. Roca, M. Izquierdo, A. Tejeda, G.D. Gu, J. Avila and M.C. Asensio 212–213 (2003) 62

Shadow bands at the Fermi surface of $Bi_2Sr_2CaCu_2O_{8+x}$ superconductors: structural or antiferromagnetic origin?, M. Izquierdo, L. Roca, D.G. Gu, J. Avila and M.C. Asensio 212–213 (2003) 67

Superlattices

Superlattices of self-assembled Ge/Si(0 0 1) quantum dots, V. Le Thanh and V. Yam 212–213 (2003) 296

Surface composition

Generation of ammonia plasma using a helical antenna and nitridation of GaAs surface, K. Yasui, T. Arayama, S. Okutani and T. Akahane 212–213 (2003) 619

Surface diffusion

Auger electron spectroscopy determination of surface self-diffusion coefficients from growth of voids in thin deposited films, I. Beszeda, I.A. Szabó and E.G. Gontier-Moya 212–213 (2003) 787

Surface morphology

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-

wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122
Ga-induced nano-facet formation on Si(1 1 *n*) surfaces, H. Nakahara, H. Suzuki, S. Miyata and A. Ichimiya 212–213 (2003) 334
Surface morphology and field emission characteristics of carbon nanofiber films grown by chemical vapor deposition on alloy catalyst, K. Kamada, T. Ikuno, S. Takahashi, T. Oyama, T. Yamamoto, M. Kamizono, S. Ohkura, S. Honda, M. Katayama, T. Hirao and K. Oura 212–213 (2003) 383
Morphology changes of Si(0 0 1) surfaces during wet chemical halogenation, L. Pedemonte, G. Bracco, A. Relini, R. Rolandi and D. Narducci 212–213 (2003) 595
Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition, P. Jonnard, J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant 212–213 (2003) 674

Surface roughness

Surface-induced broadening and shift of exciton resonances in the thin film regime, N. Atenco-Analco, F. Pérez-Rodríguez and N.M. Makarov 212–213 (2003) 782

Surface segregation

Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244
Growth and dissolution kinetics of Au/Pb(1 1 1): an AES-LEED study, H. Oughaddou, C. Léandri, B. Aufray, C. Girardeaux, J. Bernardini, G. Le Lay, J.P. Bibérian and N. Barrett 212–213 (2003) 291
Segregation in ternary alloys: an interplay of driving forces, J. Luyten, S. Helfensteyn and C. Creemers 212–213 (2003) 833
Modelling surface phenomena in PdNi alloys, S. Helfensteyn, J. Luyten, L. Feyaerts and C. Creemers 212–213 (2003) 844

Surface stress

Relation between surface stress and (1 × 2) reconstruction for (1 1 0) fcc transition metal surfaces, S. Olivier, A. Saúl and G. Tréglia 212–213 (2003) 866

Surface structure

Potassium assembled on the InAs(1 1 0) surface: from nanowires to two-dimensional layers, L. Gavioli, M. Padovani, E. Spiller, M. Sancrotti and M.G. Betti 212–213 (2003) 47
Atomic structure and formation process of the Si(1 1 1)–Sb($\sqrt{7} \times \sqrt{7}$) surface phase, D. Gruznev, B.V. Rao, Y. Furukawa, M. Mori, T. Tambo, V.G. Lifshits and C. Tatsuyama 212–213 (2003) 135
Ga-induced nano-facet formation on Si(1 1 *n*) surfaces, H. Nakahara, H. Suzuki, S. Miyata and A. Ichimiya 212–213 (2003) 334
A structural analysis of Bi/Si(1 0 0) 2 × *n* surfaces by ICISS, N. Oishi, N. Saitoh, M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa 212–213 (2003) 373
Dynamics of c(4 × 2) phase-transition in Si(1 0 0) surfaces, A. Natori, M. Osanai, J. Nakamura and H. Yasunaga 212–213 (2003) 705
c(4 × 8) periodicity in ultrathin iron silicides on Si(1 1 1), G. Garreau, S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri 212–213 (2003) 711
Chalcogen passivation of GaAs(1 0 0) surfaces: theoretical study, B. Szűcs, Z. Hajnal, Th. Frauenheim, C. González, J. Ortega, R. Pérez and F. Flores 212–213 (2003) 861

Surface tunneling microscopy

Structural stability of the Ge/Si(1 1 3)-2 × 2 surface, J. Nakamura, Z. Zhang, K. Sumitomo, H. Omi, T. Ogino and A. Natori 212–213 (2003) 724

Tellurium

Investigations of $Cd_{1-x}Mn_xTe$ crystals by means of ellipsometry and Auger electron spectroscopy, A.A. Wronkowska, A. Wronkowski, A. Bukaluk, M. Stefański, H. Arwin, F. Firszt, S. Lęgowski, H. Męczyńska and K. Hradil 212–213 (2003) 110
Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122
Growth of $Zn_{1-x}Mn_xTe$ films on GaAs (1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267
Surface and overgrowth analysis of the II–VI compound BeTe, V. Wagner, J. Wagner, L. Hansen, S. Gundel, G. Schmidt and J. Geurts 212–213 (2003) 901

Terbium

Photoluminescence properties of Tb^{3+} and Eu^{3+} ions hosted in TiO_2 matrix, A. Conde-Gallardo, M. García-Rocha, R. Palomino-Merino, M.P. Velásquez-Quesada and I. Hernández-Calderón 212–213 (2003) 583

Thermal desorption

Adsorption and decomposition of *t*-butylphosphine (TBP) on an InP(0 0 1)-(2 × 4) / *c*(2 × 8) surface studied by STM, TPD, and HREELS, Y. Fukuda, T. Kobayashi, T. Shirai, N. Kadotani and M. Shimomura 212–213 (2003) 329

Thin films

Effect of end-substitution of hexyl chains on the growth and electrical properties of quaterthiophene thin films, J. Ackermann, C. Videlot, P. Raynal, A. El Kassmi and P. Dumas 212–213 (2003) 26

Expression of the optical constants of chalcogenide thin films using the new parameterization dispersion model, D. Franta, I. Ohlídal, M. Frumar and J. Jedelský 212–213 (2003) 116

Thermal magnetic properties of Fe films on Cu_3Au investigated by magneto optical Kerr effect, F. Bisio, G. Gonella, M. Canepa, S. Terreni and L. Mattera 212–213 (2003) 166

Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209

Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224

Equilibrium surface segregation enthalpy of Ge in concentrated amorphous SiGe alloys, J. Nyéki, C. Girardeaux, G. Erdélyi, A. Rolland and J. Bernardini 212–213 (2003) 244

Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L. Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255

Growth of $Zn_{1-x}Mn_xTe$ films on GaAs(1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279

Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305

Auto-correlation function analysis of crystallization in amorphous SiGe thin films, T.F. Chiang, W.W. Wu, S.L. Cheng, H.H. Lin, S.W. Lee and L.J. Chen 212–213 (2003) 339

Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433

Peculiar features in the electrical characteristics of CuPc based diodes, G. Pham, T.U. Kampen, I. Thurzo, M. Friedrich and D.R.T. Zahn 212–213 (2003) 542

Optical properties of polycrystalline and epitaxial anatase and rutile TiO_2 thin films by rf magnetron sputtering, S. Tanemura, L. Miao, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 654

c(4 × 8) periodicity in ultrathin iron silicides on Si(1 1 1), G. Garreau, S. Hajjar, S. Pelletier, M. Imhoff and C. Pirri 212–213 (2003) 711

Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775

Surface-induced broadening and shift of exciton resonances in the thin film regime, N. Atenco-Analco, F. Pérez-Rodríguez and N.M. Makarov 212–213 (2003) 782

Auger electron spectroscopy determination of surface self-diffusion coefficients from growth of voids in thin deposited films, I. Beszeda, I.A. Szabó and E.G. Gontier-Moya 212–213 (2003) 787

New technique to characterise thin oxide films under electronic irradiation, J. Liébault, K. Zarbout, D. Moya-Siesse, J. Bernardini and G. Moya 212–213 (2003) 809

Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815

Time-of-flight techniques

A structural analysis of Bi/Si(1 0 0) 2 × *n* surfaces by ICISS, N. Oishi, N. Saitoh,

M. Naitoh, S. Nishigaki, F. Shoji, S. Nakanishi and K. Umezawa 212–213 (2003) 373
The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636

Titanium

Comparative study of the monolayers of CH_3–$(CH_2)_n$–$SiCl_3$ and CH_3–$(CH_2)_n$–$PO(OH)_2$, n = 4 and 13, adsorbed on polycrystalline titanium substrates, G. Philippin, J. Delhalle and Z. Mekhalif 212–213 (2003) 530

Titanium nitride

Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0) TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661
Formation and characterization of TiO_2 thin films with application to a multi-functional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775

Titanium oxide

Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L. Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255
Photoluminescence properties of Tb^{3+} and Eu^{3+} ions hosted in TiO_2 matrix, A. Conde-Gallardo, M. García-Rocha, R. Palomino-Merino, M.P. Velásquez-Quesada and I. Hernández-Calderón 212–213 (2003) 583
Optical properties of polycrystalline and epitaxial anatase and rutile TiO_2 thin films by rf magnetron sputtering, S. Tanemura, L. Miao, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 654
Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0)TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661

Transition metals

Relation between surface stress and (1 × 2) reconstruction for (1 1 0) fcc transition metal surfaces, S. Olivier, A. Saúl and G. Tréglia 212–213 (2003) 866

Tungsten

The role of microstructure in nanocrystalline conformal $Co_{0.9}W_{0.02}P_{0.08}$ diffusion barriers for copper metallization, A. Kohn, M. Eizenberg and Y. Shacham-Diamand 212–213 (2003) 367
Contact resistivity between tungsten and impurity (P and B)-doped $Si_{1-x-y}Ge_xC_y$ epitaxial layer, J. Noh, M. Sakuraba, J. Murota, S. Zaima and Y. Yasuda 212–213 (2003) 679
W delta doping in Si(1 0 0) using ultraclean low-pressure CVD, T. Kanaya, M. Sakuraba and J. Murota 212–213 (2003) 684

Water

The influence of fluoride anions on the silicon carbide surface oxidation in aqueous solutions, R.P. Socha and J. Väyrynen 212–213 (2003) 636

Work function

Work function of impurity-doped polycrystalline $Si_{1-x-y}Ge_xC_y$ film deposited by ultraclean low-pressure CVD, H. Shim, M. Sakuraba, T. Tsuchiya and J. Murota 212–213 (2003) 209
Mg deposition on Ag(1 0 0): temperature evolution of the structural and electronic properties, R. Moroni, F. Bisio and L. Mattera 212–213 (2003) 224

X-ray absorption

Atomic structure and magnetic properties of Mn on InAs(1 0 0), K. Hricovini, P. De Padova, C. Quaresima, P. Perfetti, R. Brochier, C. Richter, V. Ilakovac, O. Heckmann, L. Lechevallier, P. Bencok, P. Le Fevre and C. Teodorescu 212–213 (2003) 17
Structure properties of nanostructured Fe films grown on $c(2 \times 2)$ N/Cu(1 0 0) self-organised surface, P. Finetti, F. Borgatti, R. Felici, R. Gunnella and S. D'Addato 212–213 (2003) 85

Orientation of perylene derivatives on semiconductor surfaces, T.U. Kampen, G. Salvan, A. Paraian, C. Himcinschi, A.Yu. Kobitski, M. Friedrich and D.R.T. Zahn 212–213 (2003) 501
Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563
Metal induced gap states at LiCl–Cu(0 0 1) interface studied by X-ray absorption fine structure, M. Kiguchi, M. Katayama, G. Yoshikawa, K. Saiki and A. Koma 212–213 (2003) 701

X-ray diffraction

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78
Si epitaxial growth on SiH_3CH_3 reacted Ge(1 0 0) and intermixing between Si and Ge during heat treatment, K. Takahashi, M. Fujiu, M. Sakuraba and J. Murota 212–213 (2003) 193
Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204
Preparation and characterization of polycrystalline anatase and rutile TiO_2 thin films by rf magnetron sputtering, L. Miao, P. Jin, K. Kaneko, A. Terai, N. Nabatova-Gabain and S. Tanemura 212–213 (2003) 255
Growth of $Zn_{1-x}Mn_xTe$ films on GaAs (1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267
Fabrication and characterization of metal and semiconductor SmS thin films by rf/dc dual magnetron sputtering, S. Tanemura, S. Koide, Y. Senzaki, L. Miao, H. Hirai, Y. Mori, P. Jin, K. Kaneko, A. Terai and N. Nabatova-Gabain 212–213 (2003) 279
Growth of high quality silicon carbide films by bias enhanced low-pressure HFCVD using methane, V.C. George, A. Das, M. Roy, A.K. Dua, P. Raj and D.R.T. Zahn 212–213 (2003) 287
Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305
Presumption and improvement for gallium oxide thin film of high temperature oxygen sensors, M. Ogita, S. Yuasa, K. Kobayashi, Y. Yamada, Y. Nakanishi and Y. Hatanaka 212–213 (2003) 397
Influence of substrate surfaces on the growth of organic films, A. Das, G. Salvan, T.U. Kampen, W. Hoyer and D.R.T. Zahn 212–213 (2003) 433
Photoluminescence properties of Tb^{3+} and Eu^{3+} ions hosted in TiO_2 matrix, A. Conde-Gallardo, M. García-Rocha, R. Palomino-Merino, M.P. Velásquez-Quesada and I. Hernández-Calderón 212–213 (2003) 583
Structural characterization of TiO_2/TiN_xO_y (δ-doping) heterostructures on (1 1 0) TiO_2 substrates, T. Chiaramonte, L.P. Cardoso, R.V. Gelamo, F. Fabreguette, M. Sacilotti, M.C. Marco de Lucas, L. Imhoff, S. Bourgeois, Y. Kihn and M.-J. Casanove 212–213 (2003) 661
Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775
Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815

X-ray emission

Physico-chemistry and morphology of silicon surface during the first stage of alumina deposition, P. Jonnard, J. Desmaison, H. Hidalgo, F. Rossignol, C. Tixier and P. Tristant 212–213 (2003) 674

X-ray magnetic circular dichroism

Atomic structure and magnetic properties of Mn on InAs(1 0 0), K. Hricovini, P. De Padova, C. Quaresima, P. Perfetti, R. Brochier, C. Richter, V. Ilakovac, O. Heckmann, L. Lechevallier, P. Bencok, P. Le Fevre and C. Teodorescu 212–213 (2003) 17

X-ray scattering

Investigation of interface roughness and roughness correlation in solid-state multilayer by coplanar diffuse X-ray scattering, I. Busch and J. Stümpel 212–213 (2003) 201

X-ray spectroscopy

Surface particularities in pulsed laser ablation/deposition of the ferromagnetic alloy NiMnSb, C.E.A. Grigorescu, S.A. Manea, M. Mitrea, O. Monnereau, R. Notonier, L. Tortet, R. Keschawarz, J. Giapintzakis, A. Klini, V. Zorba, J. Androulakis and C. Fotakis 212–213 (2003) 78

Effects of As^+-implantation on the formation of iron silicides in Fe thin films on (1 1 1)Si, H.T. Lu, Y.L. Chueh, L.J. Chou and L.J. Chen 212–213 (2003) 204

SiC nanofibers grown by high power microwave plasma chemical vapor deposition, S.-i. Honda, Y.-G. Baek, T. Ikuno, H. Kohara, M. Katayama, K. Oura and T. Hirao 212–213 (2003) 378

Yttrium

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Dependence of structural and luminescent characteristics of Y_2O_3:Er thin film phosphors on substrate, Y. Nakanishi, K. Kimura, H. Kominami, H. Nakajima, Y. Hatanaka and G. Shimaoka 212–213 (2003) 815

Zinc

Luminescent properties of single quantum well of CdTe on ZnTe grown by hot-wall epitaxy, Y. Yoneyama, H. Kuwabara and H. Tatsuoka 212–213 (2003) 122

Growth of $Zn_{1-x}Mn_xTe$ films on GaAs (1 0 0) by hot-wall epitaxy, H. Kuwabara, R. Sakamoto, H. Tatsuoka and Y. Nakanishi 212–213 (2003) 267

Zinc sulfide thin films deposited by RF reactive sputtering for photovoltaic applications, L.-X. Shao, K.-H. Chang and H.-L. Hwang 212–213 (2003) 305

Self-assembly of (3-mercaptopropyl)trimethoxysilane on polycrystalline zinc substrates towards corrosion protection, F. Sinapi, L. Forget, J. Delhalle and Z. Mekhalif 212–213 (2003) 464

Pseudogap structure in icosahedral ZnMgY and ZnMgHo quasicrystals, A. Suchodolskis, W. Assmus, B. Čechavičius, J. Dalmas, L. Giovanelli, M. Göthelid, U.O. Karlsson, V. Karpus, G. Le Lay, R. Sterzel and E. Uhrig 212–213 (2003) 485

Electron induced epitaxy of cubic ZnS on GaAs(1 0 0) surfaces, G. Shimaoka, T. Arakawa and Y. Suzuki 212–213 (2003) 694

Zinc oxide

Synthesis and laser processing of ZnO nanocrystalline thin films, I. Ozerov, D. Nelson, A.V. Bulgakov, W. Marine and M. Sentis 212–213 (2003) 349

Zirconium

Electronic structure of transition metal high-*k* dielectrics: interfacial band offset energies for microelectronic devices, G. Lucovsky, G.B. Rayner Jr., Y. Zhang, C.C. Fulton, R.J. Nemanich, G. Appel, H. Ade and J.L. Whitten 212–213 (2003) 563

Model for defect generation at the (1 0 0) Si/SiO_2 interface during electron injection in MOS structures, M. Houssa, J.L. Autran, M.M. Heyns and A. Stesmans 212–213 (2003) 749

Zirconium oxide

Formation and characterization of TiO_2 thin films with application to a multifunctional heat mirror, P. Jin, L. Miao, S. Tanemura, G. Xu, M. Tazawa and K. Yoshimura 212–213 (2003) 775